



ESTABLISHED 1975

*NOT JUST A SOURCE, A RESOURCE™*





# THE GEMTEX® MISSION

## Company Profile

Gemtex Abrasives® the original and only manufacturer of the Trim-Kut™ discs, was founded in 1975 and became the low cost Resin Fibre Disc producer focusing on the environment. The process and the products are designed around reducing and recycling thereby providing many cost advantages and being environmentally responsible long before it was popular. Gemtex® produces and markets a full range of coated and bonded abrasives for grinding, sanding, surface conditioning and finishing. Our products are sold worldwide to the industrial, automotive, aerospace, marine, metal fabrication, natural gas production, petrochemical and retail markets under Gemtex® and private label brands made in our manufacturing facility and corporate headquarters located in Toronto, Ontario, Canada.

## Product Features

Our products are designed to increase productivity. We serve a sophisticated distributor base which demands high quality products and support; they provide us with valuable feedback that helps us develop better products. Our product catalog presents a number of new products, as well as enhancements to many of our existing products. We are continuously upgrading the value of the website, to make it a better tool for you. I encourage you to visit the site, [www.gemtexabrasives.com](http://www.gemtexabrasives.com) often to gather the latest information on our products and product upgrades. You can also visit us on LinkedIn.

## Customer Service

In all of our interactions, we strive to keep you satisfied with our company's service. Our technical staff is available to discuss your needs and explain our product features. We take great pride in providing good support for your application needs.

## New Product Development

At Gemtex Abrasives® we are committed to your success and we continuously improve our existing products and deliver innovative new products on a regular basis (the in-house manufactured flap disc category is an exciting new addition to our product offering). We pay close attention to the distributor's needs in an effort to provide the best products in the business. If you have an interesting or unique product idea, please give us a call so we can discuss it with you.

## Custom Packaging

We offer "box quantity" private label programs on all products. Gemtex® even offers custom formulations and product colors to meet a distributor's application needs or to match a corporate identity.

## Ordering and Availability

Stock products are available in various quantities and can be shipped within 48 hours.

## Mission Statement

Gemtex Abrasives® mission is to be a high-quality provider of abrasive products to the market, exceeding expectations while developing a mutually beneficial and long lasting relationship with our distributors. We achieve this through our commitment to industry standards, high quality and customer satisfaction. We work closely with our distributors to ensure the investments made today will provide profits in tomorrow's ever changing environment.

## Technical Support

We have a staff of application specialists to help answer any questions you may have about our products. We will patiently and courteously provide any support that is needed to make sure that you are satisfied with our products. We take pride in working closely with our distributors to develop strategic alliances. Our employees understand that our future is dependent on our distributor's success and satisfaction. That is the driving force for long-term, mutually beneficial strategic partnerships. We stake our reputation on our ability to work with distributors to solve any problems that may arise **without ever saying "we can't do that."** We would be more than happy to assist you any way we can. We know you have choices. Give us an opportunity to earn your business.

Sincerely,  
Frank Prenda,  
Vice President Sales and Marketing





# TABLE OF CONTENTS

## FLAP DISCS PAGE #

ZIRCONIA (PREMIUM).....	3,4
CERAMIC (PREMIUM).....	5,6
CERAMIC/ZIRCONIA (COMBINATION) (PREMIUM).....	7

ZIRCONIA (GENERAL PURPOSE).....	8 & 9
MINI FLAP DISCS.....	9

## RESIN FIBRE DISCS PAGE #

PMD SUPREME -100% CERAMIC WITH TOP COAT (PREMIUM).....	11
PMD TYPE -CERAMIC (GENERAL PURPOSE).....	11
ZEE SUPREME -100% ZIRCONIA WITH TOP COAT (PREMIUM).....	12
ZEE TYPE -ZIRCONIA (GENERAL PURPOSE).....	12
GEM SUPREME -CERAMIC/ZIRCONIA BLEND (PREMIUM).....	13
SMD TYPE (SOFT METAL DISCS) (PREMIUM).....	13
ALUMINUM OXIDE A TYPE (PREMIUM).....	14
ALUMINUM OXIDE C TYPE (GENERAL PURPOSE).....	14
SILICON CARBIDE TYPE (PREMIUM).....	15
BACKING PADS (SPIRAL COOLED & POLY AIR COOLED).....	15

## MINI RESIN FIBRE DISCS PAGE #

PMD SUPREME -100% CERAMIC WITH TOP COAT (PREMIUM).....	17
PMD TYPE -CERAMIC (GENERAL PURPOSE).....	17
ZEE SUPREME -100% ZIRCONIA WITH TOP COAT (PREMIUM).....	18
ZEE TYPE -ZIRCONIA (GENERAL PURPOSE).....	18
GEM SUPREME -CERAMIC/ZIRCONIA BLEND (PREMIUM).....	19
SMD TYPE (SOFT METAL DISCS) (PREMIUM).....	19
ALUMINUM OXIDE A TYPE (PREMIUM).....	20
SILICON CARBIDE TYPE (PREMIUM).....	20
RAPID CHANGE HOLDERS.....	21,53

## CLOTH DISCS 2 PLY QUICK CHANGE DISCS PAGE #

ALUMINUM OXIDE (GENERAL PURPOSE).....	23
CERAMIC WITH TOP COAT (PREMIUM).....	23
ZIRCONIA (GENERAL PURPOSE).....	23
ZIRCONIA WITH TOP COAT (PREMIUM).....	23

## MINI GRIND R™ DISCS PAGE #

PMD SUPREME -100% CERAMIC WITH TOP COAT (PREMIUM).....	25
PMD TYPE -CERAMIC (GENERAL PURPOSE).....	25
ZEE SUPREME -100% ZIRCONIA WITH TOP COAT (PREMIUM).....	26
ZEE TYPE -ZIRCONIA (GENERAL PURPOSE).....	26
GEM SUPREME -CERAMIC/ZIRCONIA BLEND (PREMIUM).....	27
SMD TYPE (SOFT METAL DISCS) (PREMIUM).....	27
ALUMINUM OXIDE A TYPE (PREMIUM).....	27
SILICON CARBIDE TYPE (PREMIUM).....	27

## SURFACE CONDITIONING PRODUCTS PAGE #

QUICKLOCK SPINNER.....	29
TYPE R ROLL-ON STYLE & TYPE S SCREW-ON STYLE.....	29
HOOK & LOOP (NO HOLE).....	30
HOOK & LOOP (WITH CENTER HOLE).....	31
SPINLOCK.....	31
JUMBO ROLLS.....	32
TRIM-KUT™.....	43
CUTFLEX™ BELTS.....	48

## JUMBO ROLLS PAGE #

SURFACE CONDITIONING JUMBO ROLLS.....	32
BritePrep™ NON-WOVEN JUMBO ROLLS.....	32
BritePrep™ NON-WOVEN SCUFF ROLLS.....	32

## NON-WOVEN ABRASIVES PAGE #

HAND PADS.....	33
(TAN, GREEN, BLACK, MAROON, GREY, WHITE)	
SCUFF DISCS.....	33
(TAN, GREEN, BLACK, MAROON, GREY, WHITE)	

## STRIP AWAY™ DISCS PAGE #

GENERAL PURPOSE, ULTRA, SUPREME, PREMIERE	
TYPE 1.....	35
TYPE 27.....	36
TYPE R.....	36
SPINDLE MOUNT.....	37

## TRIM-KUT™ DISCS PAGE #

PMD SUPREME -100% CERAMIC WITH TOP COAT (PREMIUM).....	39
PMD TYPE -CERAMIC (GENERAL PURPOSE).....	39
ZEE SUPREME -100% ZIRCONIA WITH TOP COAT (PREMIUM).....	40
ZEE TYPE -ZIRCONIA (GENERAL PURPOSE).....	40
GEM SUPREME -CERAMIC/ZIRCONIA BLEND (PREMIUM).....	41
SMD TYPE (SOFT METAL DISCS) (PREMIUM).....	41
ALUMINUM OXIDE A TYPE (PREMIUM).....	42
SILICON CARBIDE TYPE (PREMIUM).....	42
SURFACE CONDITIONING, MANDRELS & LOCKING NUT.....	43,53

## GRINDING & CUTOFF WHEELS (MANDREL ADAPTER SET)

	
TYPE 1.....	45
TYPE 27.....	45

## BELTS-FILE SANDING BELTS

CERAMIC.....	47
ZIRCONIA.....	47
ALUMINUM OXIDE.....	48
SURFACE CONDITIONING.....	48

## CZ45 GRIND & FINISH DISC PAGE #

5/8" -11 CENTER LOCKING NUT SHORT BARREL.....	43,49,53
---	----------

## FLAP WHEELS (ALUMINUM OXIDE SPINDLE MOUNT)

	
TYPE 1.....	50
TYPE 27.....	51

## SANDSCREEN PAGE #

PLUMBERS ROLL, CUT SHEETS, DRYWALL SHEETS, JUMBO ROLLS	
FLOOR SANDING DISCS.....	52

## ACCESSORIES PAGE #

BACKING PADS (SPIRALCOOL & POLY-AIR COOLED).....	15,53
RAPID CHANGE HOLDERS (TYPE R & TYPE S).....	21,53
SPANNER WRENCH.....	15,53
TRIM-KUT® MANDRELS AND ADAPTER NUT.....	43,49,53
(GENERAL PURPOSE) ADAPTER NUTS.....	43,53

## PRIVATE LABEL PAGE #

## GEMTEX ADVANTAGE PAGE #


## APPLICATIONS CHART PAGE #

## NUMERIC INDEX PAGE #

© Gemtex Abrasives 2021. All Rights Reserved.

Gemtex, Gemtex Abrasives, FlapTec, GemFlex, PMD, ZEE, GEM, Mini Grind R, Brite Prep, Strip Away, Trim-Kut, CutFlex, CZ45, Quicklock Spinner, and the tagline "Not Just a Source, a Resource" are all trademarks of 2340258 Ontario Inc. d/b/a Gemtex Abrasives.

**FLAP DISCS - FLAPTEC™ & GEMFLEX™**



ZIRCONIA



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PFHD**  
PREMIUM FIBERGLASS  
HIGH DENSITY  
5/8"-11  
ZINC HUB

ZIRCONIA



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**PPHD**  
PREMIUM PLASTIC  
HIGH DENSITY  
5/8"-11  
BUILT IN THREAD

CERAMIC



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PFHD**  
PREMIUM FIBERGLASS  
HIGH DENSITY  
5/8"-11 ZINC HUB

CERAMIC



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**PPHD**  
PREMIUM PLASTIC  
HIGH DENSITY  
5/8"-11  
BUILT IN THREAD

CERAMIC/  
ZIRCONIA



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
5/8"-11  
BUILT IN THREAD

ZIRCONIA



**EFSD**  
GENERAL PURPOSE  
FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**EFHD**  
GENERAL PURPOSE FIBERGLASS  
HIGH DENSITY  
5/8"-11  
ZINC HUB


ZIRCONIA



**EPSD**  
GENERAL PURPOSE  
PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**EPHD**  
GENERAL PURPOSE  
PLASTIC  
HIGH DENSITY  
5/8"-11 BUILT IN THREAD



## FLAPTEC™ PREMIUM ZIRCONIA FIBERGLASS BACK FLAP DISC

**FlapTec™ PREMIUM FLAP DISCS PROVIDE A HIGH LEVEL OF PRODUCTIVITY & LESS DOWN TIME RESULTING IN COST SAVINGS**

- WELD GRINDING/EDGE GRINDING/BLENDING
- MEETS MAXIMUM PRODUCTIVITY AT A REDUCED COST ON ALL METALS
- PREMIUM ZIRCONIA CLOTH IN STANDARD DENSITY AND HIGH DENSITY

- OPTIONS INCLUDE 7/8" ARBOR OR 5/8"-11 ZINC HUB ON FIBERGLASS BACKING AS WELL AS 7/8" ARBOR OR 5/8"-11 "BUILT IN THREAD" ON PLASTIC BACKING



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PFHD**  
PREMIUM FIBERGLASS  
HIGH DENSITY  
5/8"-11  
ZINC HUB


**PFSD**  
PREMIUM FIBERGLASS STANDARD DENSITY

SIZE	GRIT	TYPE 27	TYPE 29
4" X 5/8"	36	712740036	712940036
	40	712740040	712940040
RPM 15,300	60	712740060	712940060
	80	712740080	712940080
BOX QTY 5	120	712740120	712940120
4-1/2" X 7/8"	36	712745036	712945036
	40	712745040	712945040
RPM 13,300	60	712745060	712945060
	80	712745080	712945080
BOX QTY 5	120	712745120	712945120
5" X 7/8"	36	712750036	712950036
	40	712750040	712950040
RPM 12,000	60	712750060	712950060
	80	712750080	712950080
BOX QTY 5	120	712750120	712950120
6" X 7/8"	36	712760036	712960036
	40	712760040	712960040
RPM 10,250	60	712760060	712960060
	80	712760080	712960080
BOX QTY 5	120	712760120	712960120
7" X 7/8"	36	712770036	712970036
	40	712770040	712970040
RPM 8,600	60	712770060	712970060
	80	712770080	712970080
BOX QTY 5	120	712770120	712970120

**PFHD**  
PREMIUM FIBERGLASS HIGH DENSITY

SIZE	GRIT	TYPE 27	TYPE 29
4-1/2" X 7/8"	36	722745036	722945036
	40	722745040	722945040
RPM 13,300	60	722745060	722945060
	80	722745080	722945080
BOX QTY 5	120	722745120	722945120
5" X 7/8"	36	722750036	722950036
	40	722750040	722950040
RPM 12,000	60	722750060	722950060
	80	722750080	722950080
BOX QTY 5	120	722750120	722950120
6" X 7/8"	36	722760036	722960036
	40	722760040	722960040
RPM 10,250	60	722760060	722960060
	80	722760080	722960080
BOX QTY 5	120	722760120	722960120
7" X 7/8"	36	722770036	722970036
	40	722770040	722970040
RPM 8,600	60	722770060	722970060
	80	722770080	722970080
BOX QTY 5	120	722770120	722970120

**LEGEND**  
TO ORDER A 4-1/2", 5", 6" OR 7" WITH A 5/8"-11 ZINC HUB ON FIBERGLASS BACKING, ADD AN "H" TO END OF PART NUMBER



## FLAPTEC™ PREMIUM ZIRCONIA TRIMMABLE PLASTIC BACK FLAP DISC

**FlapTec** PREMIUM FLAP DISCS PROVIDE A HIGH LEVEL OF PRODUCTIVITY & LESS DOWN TIME RESULTING IN COST SAVINGS

- WELD GRINDING/EDGE GRINDING/BLENDING
- MEETS MAXIMUM PRODUCTIVITY AT A REDUCED COST ON ALL METALS
- PREMIUM ZIRCONIA CLOTH IN STANDARD DENSITY AND HIGH DENSITY

- OPTIONS INCLUDE 7/8" ARBOR OR 5/8"-11 ZINC HUB ON FIBERGLASS BACKING AS WELL AS 7/8" ARBOR OR 5/8"-11 "BUILT IN THREAD" ON PLASTIC BACKING



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**PPHD**  
PREMIUM PLASTIC  
HIGH DENSITY  
5/8"-11  
BUILT IN THREAD


**PPSD**  
PREMIUM PLASTIC STANDARD DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	732745036
	40	732745040
RPM 13,300	60	732745060
	80	732745080
BOX QTY 5	120	732745120
4-1/2" X 5/8-11"	36	732745036T
	40	732745040T
RPM 13,300	60	732745060T
	80	732745080T
BOX QTY 5	120	732745120T
5" X 7/8"	36	732750036
	40	732750040
RPM 12,000	60	732750060
	80	732750080
BOX QTY 5	120	732750120
5" X 5/8-11"	36	732750036T
	40	732750040T
RPM 12,000	60	732750060T
	80	732750080T
BOX QTY 5	120	732750120T

**PPHD**  
PREMIUM PLASTIC HIGH DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	742745036
	40	742745040
RPM 13,300	60	742745060
	80	742745080
BOX QTY 5	120	742745120
4-1/2" X 5/8-11"	36	742745036T
	40	742745040T
RPM 13,300	60	742745060T
	80	742745080T
BOX QTY 5	120	742745120T
5" X 7/8"	36	742750036
	40	742750040
RPM 12,000	60	742750060
	80	742750080
BOX QTY 5	120	742750120
5" X 5/8-11"	36	742750036T
	40	742750040T
RPM 12,000	60	742750060T
	80	742750080T
BOX QTY 5	120	742750120T

**LEGEND**  
T = 5/8"-11 BUILT IN THREAD



## FLAPTEC™ PREMIUM CERAMIC FIBERGLASS BACK FLAP DISC

FlapTec PREMIUM FLAP DISCS PROVIDE A HIGH LEVEL OF PRODUCTIVITY & LESS DOWN TIME RESULTING IN COST SAVINGS

- WELD GRINDING/EDGE GRINDING/BLENDING
- MEETS MAXIMUM PRODUCTIVITY AT A REDUCED COST ON ALL METALS
- PREMIUM ZIRCONIA CLOTH IN STANDARD DENSITY AND HIGH DENSITY

- OPTIONS INCLUDE 7/8" ARBOR OR 5/8"-11 ZINC HUB ON FIBERGLASS BACKING AS WELL AS 7/8" ARBOR OR 5/8"-11 "BUILT IN THREAD" ON PLASTIC BACKING



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PFHD**  
PREMIUM FIBERGLASS  
HIGH DENSITY  
5/8"-11  
ZINC HUB

**PFSD**  
PREMIUM FIBERGLASS STANDARD DENSITY


SIZE	GRIT	TYPE 27	TYPE 29
4" X 5/8"	36	812740036	812940036
	40	812740040	812940040
RPM 15,300	60	812740060	812940060
	80	812740080	812940080
BOX QTY 5	120	812740120	812940120
	<b>4-1/2" X 7/8"</b>		
4-1/2" X 7/8"	36	812745036	812945036
	40	812745040	812945040
RPM 13,300	60	812745060	812945060
	80	812745080	812945080
BOX QTY 5	120	812745120	812945120
	<b>5" X 7/8"</b>		
5" X 7/8"	36	812750036	812950036
	40	812750040	812950040
RPM 12,000	60	812750060	812950060
	80	812750080	812950080
BOX QTY 5	120	812750120	812950120
	<b>6" X 7/8"</b>		
6" X 7/8"	36	812760036	812960036
	40	812760040	812960040
RPM 10,250	60	812760060	812960060
	80	812760080	812960080
BOX QTY 5	120	812760120	812960120
	<b>7" X 7/8"</b>		
7" X 7/8"	36	812770036	812970036
	40	812270040	812970040
RPM 8,600	60	812770060	812970060
	80	812770080	812970080
BOX QTY 5	120	812770120	812970120

**PFHD**  
PREMIUM FIBERGLASS HIGH DENSITY

SIZE	GRIT	TYPE 27	TYPE 29
4-1/2" X 7/8"	36	822745036	822945036
	40	822745040	822945040
RPM 13,300	60	822745060	822945060
	80	822745080	822945080
BOX QTY 5	120	822745120	822945120
	<b>5" X 7/8"</b>		
5" X 7/8"	36	822750036	822950036
	40	822750040	822950040
RPM 12,000	60	822750060	822950060
	80	822750080	822950080
BOX QTY 5	120	822750120	822950120
	<b>6" X 7/8"</b>		
6" X 7/8"	36	822760036	822960036
	40	822760040	822960040
RPM 10,250	60	822760060	822960060
	80	822760080	822960080
BOX QTY 5	120	822760120	822960120
	<b>7" X 7/8"</b>		
7" X 7/8"	36	822770036	822970036
	40	822770040	822970040
RPM 8,600	60	822770060	822970060
	80	822770080	822970080
BOX QTY 5	120	822770120	822970120

**LEGEND**

TO ORDER A 4-1/2", 5", 6" OR 7" WITH A 5/8"-11 ZINC HUB ON FIBERGLASS BACKING, ADD AN "H" TO END OF PART NUMBER



## FLAPTEC™ PREMIUM CERAMIC TRIMMABLE PLASTIC BACK FLAP DISC

**FlapTec™ PREMIUM FLAP DISCS PROVIDE A HIGH LEVEL OF PRODUCTIVITY & LESS DOWN TIME RESULTING IN COST SAVINGS**

- WELD GRINDING/EDGE GRINDING/BLENDING
- MEETS MAXIMUM PRODUCTIVITY AT A REDUCED COST ON ALL METALS
- PREMIUM ZIRCONIA CLOTH IN STANDARD DENSITY AND HIGH DENSITY

- OPTIONS INCLUDE 7/8" ARBOR OR 5/8"-11 ZINC HUB ON FIBERGLASS BACKING AS WELL AS 7/8" ARBOR OR 5/8"-11 "BUILT IN THREAD" ON PLASTIC BACKING



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**PPHD**  
PREMIUM PLASTIC  
HIGH DENSITY  
5/8"-11  
BUILT IN THREAD

**PPSD**  
PREMIUM PLASTIC STANDARD DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	832745036
	40	832745040
RPM 13,300	60	832745060
	80	832745080
BOX QTY 5	120	832745120
	<b>5/8"-11</b>	
4-1/2" X 5/8-11"	36	832745036T
	40	832745040T
RPM 13,300	60	832745060T
	80	832745080T
BOX QTY 5	120	832745120T
	<b>5"</b>	
5" X 7/8"	36	832750036
	40	832750040
RPM 12,000	60	832750060
	80	832750080
BOX QTY 5	120	832750120
	<b>5/8"-11</b>	
5" X 5/8-11"	36	832750036T
	40	832750040T
RPM 12,000	60	832750060T
	80	832750080T
BOX QTY 5	120	832750120T

**PPHD**  
PREMIUM PLASTIC HIGH DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	842745036
	40	842745040
RPM 13,300	60	842745060
	80	842745080
BOX QTY 5	120	842745120
	<b>5/8"-11</b>	
4-1/2" X 5/8-11"	36	842745036T
	40	842745040T
RPM 13,300	60	842745060T
	80	842745080T
BOX QTY 5	120	842745120T
	<b>5"</b>	
5" X 7/8"	36	842750036
	40	842750040
RPM 12,000	60	842750060
	80	842750080
BOX QTY 5	120	842750120
	<b>5/8"-11</b>	
5" X 5/8-11"	36	842750036T
	40	842750040T
RPM 12,000	60	842750060T
	80	842750080T
BOX QTY 5	120	842750120T

**LEGEND**  
T = 5/8"-11 BUILT IN THREAD



## FLAPTEC™ PREMIUM CERAMIC/ZIRCONIA FIBERGLASS & TRIMMABLE PLASTIC BACK FLAP DISC

### CERAMIC/ZIRCONIA FIBERGLASS BACK

**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**PFSD**  
PREMIUM FIBERGLASS  
STANDARD DENSITY  
5/8"-11  
ZINC HUB

**PFSD**  
PREMIUM FIBERGLASS STANDARD DENSITY

SIZE	GRIT	TYPE 27	TYPE 29
4-1/2"	36	912745036	912945036
X			
7/8"	40	912745040	912945040
RPM	60	912745060	912945060
13,300	80	912745080	912945080
BOX QTY	120	912745120	912945120
5			

**PFSD**  
PREMIUM FIBERGLASS STANDARD DENSITY

SIZE	GRIT	TYPE 27	TYPE 29
5"	36	912750036	912950036
X			
7/8"	40	912750040	912950040
RPM	60	912750060	912950060
12,000	80	912750080	912950080
BOX QTY	120	912750120	912950120
5			

**LEGEND**  
TO ORDER A 4-1/2", 5", 6" OR 7" WITH A 5/8"-11 ZINC HUB ON FIBERGLASS BACKING, ADD AN "H" TO END OF PART NUMBER

### CERAMIC/ZIRCONIA TRIMMABLE PLASTIC BACK

**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**PPSD**  
PREMIUM PLASTIC  
STANDARD DENSITY  
5/8"-11  
BUILT IN THREAD


**PPSD**  
PREMIUM PLASTIC STANDARD DENSITY

SIZE	GRIT	TYPE 27
4-1/2"	36	932745036
X		
7/8"	40	932745040
RPM	60	932745060
13,300	80	932745080
BOX QTY	120	932745120
5		
4-1/2"	36	932745036T
X		
5/8-11"	40	932745040T
RPM	60	932745060T
13,300	80	932745080T
BOX QTY	120	932745120T
5		

**PPSD**  
PREMIUM PLASTIC STANDARD DENSITY

SIZE	GRIT	TYPE 27
5"	36	932750036
X		
7/8"	40	932750040
RPM	60	932750060
12,000	80	932750080
BOX QTY	120	932750120
5		
5"	36	932750036T
X		
5/8-11"	40	932750040T
RPM	60	932750060T
12,000	80	932750080T
BOX QTY	120	932750120T
5		

**LEGEND**  
T = 5/8"-11 BUILT IN THREAD



## GEMFLEX™ GENERAL PURPOSE FIBERGLASS BACK FLAP DISC

GEMFLEX™ GENERAL PURPOSE FLAP DISCS PROVIDE A HIGH LEVEL OF PRODUCTIVITY & LESS DOWN TIME RESULTING IN COST SAVINGS

- WELD GRINDING/EDGE GRINDING/BLENDING
- MEETS MAXIMUM PRODUCTIVITY AT A REDUCED COST ON ALL METALS
- GENERAL PURPOSE ZIRCONIA CLOTH IN STANDARD DENSITY AND HIGH DENSITY
- AVAILABLE IN LIGHTWEIGHT TRIMMABLE PLASTIC OR FIBERGLASS BACKING
- OPTIONS INCLUDE 7/8" ARBOR OR 5/8"-11 ZINC HUB ON FIBERGLASS BACKING AS WELL AS 7/8" ARBOR OR 5/8"-11 "BUILT IN THREAD" ON PLASTIC BACKING



**EFSD**  
GENERAL PURPOSE FIBERGLASS  
STANDARD DENSITY  
7/8" ARBOR



**EFHD**  
GENERAL PURPOSE FIBERGLASS  
HIGH DENSITY  
5/8"-11  
ZINC HUB

### EFSD GENERAL PURPOSE FIBERGLASS STANDARD DENSITY


SIZE	GRIT	TYPE 27	TYPE 29	
4" X 5/8"	36	412740036	412940036	
	40	412740040	412940040	
	RPM 15,300	60	412740060	412940060
	BOX QTY 5	80	412740080	412940080
4-1/2" X 7/8"	36	412745036	412945036	
	40	412745040	412945040	
	RPM 13,300	60	412745060	412945060
	BOX QTY 5	80	412745080	412945080
5" X 7/8"	36	412750036	412950036	
	40	412750040	412950040	
	RPM 12,000	60	412750060	412950060
	BOX QTY 5	80	412750080	412950080
6" X 7/8"	36	412760036	412960036	
	40	412760040	412960040	
	RPM 10,250	60	412760060	412960060
	BOX QTY 5	80	412760080	412960080
7" X 7/8"	36	412770036	412970036	
	40	412770040	412970040	
	RPM 8,600	60	412770060	412970060
	BOX QTY 5	80	412770080	412970080
	120	412770120	412970120	

### EFHD GENERAL PURPOSE FIBERGLASS HIGH DENSITY

SIZE	GRIT	TYPE 27	TYPE 29	
4-1/2" X 7/8"	36	422745036	422945036	
	40	422745040	422945040	
	RPM 13,300	60	422745060	422945060
	BOX QTY 5	80	422745080	422945080
5" X 7/8"	36	422750036	422950036	
	40	422750040	422950040	
	RPM 12,000	60	422750060	422950060
	BOX QTY 5	80	422750080	422950080
6" X 7/8"	36	422760036	422960036	
	40	422760040	422960040	
	RPM 10,250	60	422760060	422960060
	BOX QTY 5	80	422760080	422960080
7" X 7/8"	36	422770036	422970036	
	40	422770040	422970040	
	RPM 8,600	60	422770060	422970060
	BOX QTY 5	80	422770080	422970080
	120	422770120	422970120	

### LEGEND

TO ORDER A 4-1/2", 5", 6" OR 7" WITH A 5/8"-11 ZINC HUB ON FIBERGLASS BACKING, ADD AN "H" TO END OF PART NUMBER



## GEMFLEX™ GENERAL PURPOSE TRIMMABLE PLASTIC BACK FLAP DISC



**EPSD**  
GENERAL PURPOSE PLASTIC  
STANDARD DENSITY  
7/8" ARBOR



**EPHD**  
GENERAL PURPOSE PLASTIC  
HIGH DENSITY  
5/8"-11 BUILT IN THREAD

**EPSD**  
GENERAL PURPOSE PLASTIC STANDARD DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	432745036
	40	432745040
RPM 13,300 BOX QTY 5	60	432745060
	80	432745080
	120	432745120
4-1/2" X 5/8-11"	36	432745036T
	40	432745040T
RPM 13,300 BOX QTY 5	60	432745060T
	80	432745080T
	120	432745120T
5" X 7/8"	36	432750036
	40	432750040
RPM 12,000 BOX QTY 5	60	432750060
	80	432750080
	120	432750120
5" X 5/8-11"	36	432750036T
	40	432750040T
RPM 12,000 BOX QTY 5	60	432750060T
	80	432750080T
	120	432750120T

**EPHD**  
GENERAL PURPOSE PLASTIC HIGH DENSITY

SIZE	GRIT	TYPE 27
4-1/2" X 7/8"	36	442745036
	40	442745040
RPM 13,300 BOX QTY 5	60	442745060
	80	442745080
	120	442745120
4-1/2" X 5/8-11"	36	442745036T
	40	442745040T
RPM 13,300 BOX QTY 5	60	442745060T
	80	442745080T
	120	442745120T
5" X 7/8"	36	442750036
	40	442750040
RPM 12,000 BOX QTY 5	60	442750060
	80	442750080
	120	442750120
5" X 5/8-11"	36	442750036T
	40	442750040T
RPM 12,000 BOX QTY 5	60	442750060T
	80	442750080T
	120	442750120T

**LEGEND**  
T = 5/8"-11 BUILT IN THREAD

## GEMFLEX™ MINI FLAP DISC

GENERAL PURPOSE ZIRCONIA (Rapid Change)  
Plastic Backing (Type R Roll-on Attachment)



Type	2" P/N	MAX RPM 2"	3" P/N	MAX RPM 3"	Grit	Box Qty.	Unit
<b>TYPE R</b>	22520305	30,000	22530305	20,000	40	10	Each
	22520505	30,000	22530505	20,000	60	10	Each
	22520605	30,000	22530605	20,000	80	10	Each
	22520805	30,000	22530805	20,000	120	10	Each

# RESIN FIBRE DISCS



**PMD  
SUPREME**

100% SG Ceramic (PREMIUM)



**PMD  
TYPE**

Ceramic/Aluminum Oxide (GENERAL PURPOSE)



**ZEE  
SUPREME**

100% Zirconia (PREMIUM)



**ZEE  
TYPE**

Zirconia (GENERAL PURPOSE)



**GEM  
SUPREME**

Ceramic /Zirconia (PREMIUM)



**SMD  
TYPE**

Aluminum Oxide (with no-load coating)  
(PREMIUM)



**A/O  
TYPE A**

Aluminum Oxide "A" (PREMIUM)



**A/O  
TYPE C**

Aluminum Oxide "C" (GENERAL PURPOSE)



**S/C  
TYPE**

Silicon Carbide (PREMIUM)

Gemtex™ Resin Fibre Discs are manufactured utilizing a multilayer, heavy duty vulcanized fibre as backing which is coated with a resin bond coat specially designed to resist loading, glazing and grain stripping. This bond coat is then covered with abrasive grain formulated for toughness and sharpness. Gemtex™ offers private label branding on standard specifications as well as custom formulas to meet specific application requirements.

APPLICATION	GRIT
Cleaning & Finishing	60-120
Rust Removal	50-100
Deburring / Deflashing	40-80
Weld Blending	36-60
Edge Chamfering	30-50
Stock Removal	16-36

## SPECIALTY PRODUCTS

### Quicklock SPINNER :

The 5/8"-11 Type "S" threaded lock, on the backside of the disc, allows flat grinding and eliminates the possibility of scratching the work piece. The threaded lock allows the disc to spin on and off the spindle without a locking nut or wrench. Can be applied to any disc with 7/8" arbor hole.



### Spinlock:

The 5/8"-11 threaded lock allows the disc to spin on and off the spindle without a locking nut or wrench. The 5/8"-11 arbor can be applied to any disc with a 7/8" arbor hole.



### Octagonal:

An eight sided disc provides a better view of work surface while grinding.



# RESIN FIBRE DISCS

**PMD Supreme Discs** are manufactured with a patented formula which includes **100% SG Ceramic Grain with top coat** which provides long lasting life on stainless steel and all high tensile alloys. The discs allow maximum grinding performance at reduced costs.

**PMD Discs** are made with a combination of **Ceramic/Aluminum Oxide grain with a top coat** developed as an economical alternative to a pure ceramic disc for use on stainless steel and other high tensile alloys. It provides higher cut rates and cooler grinding temperatures due to a custom blended grinding aid.



100% SG Ceramic (PREMIUM)

Size	Grit	P/N
4" X 5/8"	16	20940100
	24	20940200
RPM 15,000	36	20940300
	50	20940400
BOX QTY 25	60	20940500
	80	20940600
CASE QTY 100	100	20940700
	120	20940800
4-1/2" X 7/8"	16	20945100
	24	20945200
RPM 13,000	36	20945300
	50	20945400
BOX QTY 25	60	20945500
	80	20945600
CASE QTY 100	100	20945700
	120	20945800
5" X 7/8"	16	20950100
	24	20950200
RPM 12,000	36	20950300
	50	20950400
BOX QTY 25	60	20950500
	80	20950600
CASE QTY 100	100	20950700
	120	20950800
7" X 7/8"	16	20970100
	24	20970200
RPM 8,600	36	20970300
	50	20970400
BOX QTY 25	60	20970500
	80	20970600
CASE QTY 100	100	20970700
	120	20970800
9" X 7/8"	16	20990100
	24	20990200
RPM 6,500	36	20990300
	50	20990400
BOX QTY 25	60	20990500
	80	20990600
CASE QTY 100	100	20990700
	120	20990800



Ceramic/Aluminum Oxide (GENERAL PURPOSE)

Size	Grit	P/N
4" X 5/8"	16	20840100
	24	20840200
RPM 15,000	36	20840300
	50	20840400
BOX QTY 25	60	20840500
	80	20840600
CASE QTY 100	100	20840700
	120	20840800
4-1/2" X 7/8"	16	20845100
	24	20845200
RPM 13,000	36	20845300
	50	20845400
BOX QTY 25	60	20845500
	80	20845600
CASE QTY 100	100	20845700
	120	20845800
5" X 7/8"	16	20850100
	24	20850200
RPM 12,000	36	20850300
	50	20850400
BOX QTY 25	60	20850500
	80	20850600
CASE QTY 100	100	20850700
	120	20850800
7" X 7/8"	16	20870100
	24	20870200
RPM 8,600	36	20870300
	50	20870400
BOX QTY 25	60	20870500
	80	20870600
CASE QTY 100	100	20870700
	120	20870800
9" X 7/8"	16	20890100
	24	20890200
RPM 6,500	36	20890300
	50	20890400
BOX QTY 25	60	20890500
	80	20890600
CASE QTY 100	100	20890700
	120	20890800

# RESIN FIBRE DISCS

**Zee Supreme** provides ultimate grinding performance on stainless steel and cost effectiveness when used in high production applications. The Zee Supreme formula of **100% Zirconia with top coat**, utilizes an extremely hard zirconia abrasive alloy which sharpens itself in use, delivering outstanding cutting rates and maximizing lifespan. The advanced bond minimizes grain shedding, while promoting a cool grinding action.

**ZEE Type General Purpose Zirconia Discs** are the most cost-effective choice when grinding stainless and other high tensile alloys. The disc provides ultimate cost effectiveness when used in high production applications. With only a 5% higher cost than aluminum oxide, it provides 25%-30% higher performance.



100% Zirconia (PREMIUM)

Size	Grit	P/N
4" x 5/8"	16	20440100
	24	20440200
RPM 15,000	36	20440300
	50	20440400
BOX QTY 25	60	20440500
	80	20440600
CASE QTY 100	100	20440700
	120	20440800
4-1/2" x 7/8"	16	20445100
	24	20445200
RPM 13,000	36	20445300
	50	20445400
BOX QTY 25	60	20445500
	80	20445600
CASE QTY 100	100	20445700
	120	20445800
5" x 7/8"	16	20450100
	24	20450200
RPM 12,000	36	20450300
	50	20450400
BOX QTY 25	60	20450500
	80	20450600
CASE QTY 100	100	20450700
	120	20450800
7" x 7/8"	16	20470100
	24	20470200
RPM 8,600	36	20470300
	50	20470400
BOX QTY 25	60	20470500
	80	20470600
CASE QTY 100	100	20470700
	120	20470800
9" x 7/8"	16	20490100
	24	20490200
RPM 6,500	36	20490300
	50	20490400
BOX QTY 25	60	20490500
	80	20490600
CASE QTY 100	100	20490700
	120	20490800

Zirconia (GENERAL PURPOSE)

Size	Grit	P/N
4" x 5/8"	16	20540100
	24	20540200
RPM 15,000	36	20540300
	50	20540400
BOX QTY 25	60	20540500
	80	20540600
CASE QTY 100	100	20540700
	120	20540800
4-1/2" x 7/8"	16	20545100
	24	20545200
RPM 13,000	36	20545300
	50	20545400
BOX QTY 25	60	20545500
	80	20545600
CASE QTY 100	100	20545700
	120	20545800
5" x 7/8"	16	20550100
	24	20550200
RPM 12,000	36	20550300
	50	20550400
BOX QTY 25	60	20550500
	80	20550600
CASE QTY 100	100	20550700
	120	20550800
7" x 7/8"	16	20570100
	24	20570200
RPM 8,600	36	20570300
	50	20570400
BOX QTY 25	60	20570500
	80	20570600
CASE QTY 100	100	20570700
	120	20570800
9" x 7/8"	16	20590100
	24	20590200
RPM 6,500	36	20590300
	50	20590400
BOX QTY 25	60	20590500
	80	20590600
CASE QTY 100	100	20590700
	120	20590800



# RESIN FIBRE DISCS

**GEM Supreme Discs** are formulated with a patented blend of **Ceramic and Zirconia** grain which makes the disc ideal for a wide range of grinding and finishing applications on **all metals**. These discs cut more aggressively than zirconia with a lower cost than a pure ceramic disc.

**SMD Discs (A/O Soft Metal Discs)** are designed for use on soft metals like bronze, brass and aluminum. These discs disperse their own lubrication as the disc grinds, delaying heat build up of the metal work piece. Lower work surface temperature means melting is delayed, allowing the disc to cut and last longer than regular discs. The protected disc acts as an open coat, shedding any buildup of debris.

- Reduces disc waste and costly change over time
- Low pressure required for optimum performance



Ceramic /Zirconia (PREMIUM)

Size	Grit	P/N
4" X 5/8"	16	22040100
	24	22040200
RPM 15,000	36	22040300
	50	22040400
BOX QTY 25	60	22040500
	80	22040600
CASE QTY 100	100	22040700
	120	22040800
4-1/2" X 7/8"	16	22045100
	24	22045200
RPM 13,000	36	22045300
	50	22045400
BOX QTY 25	60	22045500
	80	22045600
CASE QTY 100	100	22045700
	120	22045800
5" X 7/8"	16	22050100
	24	22050200
RPM 12,000	36	22050300
	50	22050400
BOX QTY 25	60	22050500
	80	22050600
CASE QTY 100	100	22050700
	120	22050800
7" X 7/8"	16	22070100
	24	22070200
RPM 8,600	36	22070300
	50	22070400
BOX QTY 25	60	22070500
	80	22070600
CASE QTY 100	100	22070700
	120	22070800
9" X 7/8"	16	22090100
	24	22090200
RPM 6,500	36	22090300
	50	22090400
BOX QTY 25	60	22090500
	80	22090600
CASE QTY 100	100	22090700
	120	22090800



Aluminum Oxide (with no-load coating) (PREMIUM)

Size	Grit	P/N
4" X 5/8"	16	20640100
	24	20640200
RPM 15,000	36	20640300
	50	20640400
BOX QTY 25	60	20640500
	80	20640600
CASE QTY 100	100	20640700
	120	20640800
4-1/2" X 7/8"	16	20645100
	24	20645200
RPM 13,000	36	20645300
	50	20645400
BOX QTY 25	60	20645500
	80	20645600
CASE QTY 100	100	20645700
	120	20645800
5" X 7/8"	16	20650100
	24	20650200
RPM 12,000	36	20650300
	50	20650400
BOX QTY 25	60	20650500
	80	20650600
CASE QTY 100	100	20650700
	120	20650800
7" X 7/8"	16	20670100
	24	20670200
RPM 8,600	36	20670300
	50	20670400
BOX QTY 25	60	20670500
	80	20670600
CASE QTY 100	100	20670700
	120	20670800
9" X 7/8"	16	20690100
	24	20690200
RPM 6,500	36	20690300
	50	20690400
BOX QTY 25	60	20690500
	80	20690600
CASE QTY 100	100	20690700
	120	20690800

# RESIN FIBRE DISCS

**Aluminum Oxide "A" Type Discs** provide superior grinding performance in a **Premium Aluminum Oxide** resin fibre disc. A blend of advanced abrasive grain and bonding agents deliver superior cutting rates and longer useful life.

"A" Type has been designed to excel when used in high stock removal applications where cool cutting action is required.



Aluminum Oxide "A" (PREMIUM)

Size	Grit	P/N
4" X 5/8"	16	20240100
	24	20240200
	36	20240300
RPM 15,000	50	20240400
	60	20240500
BOX QTY 25	80	20240600
	100	20240700
CASE QTY 100	120	20240800
	4-1/2" X 7/8"	16
24		20245200
36		20245300
RPM 13,000	50	20245400
	60	20245500
BOX QTY 25	80	20245600
	100	20245700
CASE QTY 100	120	20245800
	5" X 7/8"	16
24		20250200
36		20250300
RPM 12,000	50	20250400
	60	20250500
BOX QTY 25	80	20250600
	100	20250700
CASE QTY 100	120	20250800
	7" X 7/8"	16
24		20270200
36		20270300
RPM 8,600	50	20270400
	60	20270500
BOX QTY 25	80	20270600
	100	20270700
CASE QTY 100	120	20270800
	9" X 7/8"	16
24		20290200
36		20290300
RPM 6,500	50	20290400
	60	20290500
BOX QTY 25	80	20290600
	100	20290700
CASE QTY 100	120	20290800

**Aluminum Oxide "C" Type Discs** provide overall economy and good performance in a **General Purpose Aluminum Oxide Disc**.

"C" Type has been designed to excel in a wide variety of applications providing cost effective stock removal.



Aluminum Oxide "C" (GENERAL PURPOSE)

Size	Grit	P/N
4" X 5/8"	16	20140100
	24	20140200
	36	20140300
RPM 15,000	50	20140400
	60	20140500
BOX QTY 25	80	20140600
	100	20140700
CASE QTY 100	120	20140800
	4-1/2" X 7/8"	16
24		20145200
36		20145300
RPM 13,000	50	20145400
	60	20145500
BOX QTY 25	80	20145600
	100	20145700
CASE QTY 100	120	20145800
	5" X 7/8"	16
24		20150200
36		20150300
RPM 12,000	50	20150400
	60	20150500
BOX QTY 25	80	20150600
	100	20150700
CASE QTY 100	120	20150800
	7" X 7/8"	16
24		20170200
36		20170300
RPM 8,600	50	20170400
	60	20170500
BOX QTY 25	80	20170600
	100	20170700
CASE QTY 100	120	20170800
	9" X 7/8"	16
24		20190200
36		20190300
RPM 6,500	50	20190400
	60	20190500
BOX QTY 25	80	20190600
	100	20190700
CASE QTY 100	120	20190800



# RESIN FIBRE DISCS

**Silicon Carbide discs** are designed for fiberglass, plastic, stone, terrazzo, granite and non-ferrous metal grinding applications.

• **Premium Silicon Carbide**, with its sharp grain characteristics, provides fast cutting action on all grinding and sanding applications without loading.



Silicon Carbide (PREMIUM)

Size	Grit	P/N	
4" x 5/8"	16	20340100	
	24	20340200	
	36	20340300	
	RPM 15,000	50	20340400
	60	20340500	
	80	20340600	
BOX QTY 25	100	20340700	
	120	20340800	
	16	20345100	
4-1/2" x 7/8"	24	20345200	
	36	20345300	
	RPM 13,000	50	20345400
	60	20345500	
	80	20345600	
	100	20345700	
BOX QTY 25	120	20345800	
	16	20350100	
	24	20350200	
5" x 7/8"	36	20350300	
	RPM 12,000	50	20350400
	60	20350500	
	80	20350600	
	100	20350700	
	120	20350800	
BOX QTY 25	16	20370100	
	24	20370200	
	36	20370300	
7" x 7/8"	50	20370400	
	60	20370500	
	80	20370600	
	100	20370700	
	120	20370800	
	16	20390100	
9" x 7/8"	24	20390200	
	36	20390300	
	RPM 6,500	50	20390400
	60	20390500	
	80	20390600	
	100	20390700	
BOX QTY 25	120	20390800	
	100	20390700	
CASE QTY 100	120	20390800	

## Standard Air-Cooled Rubber & Plastic All Purpose Backing Pads

Ideal for all sanding operations on metal, plastic, fiberglass, granite & wood



Spanner Wrench  
90000045

### SPIRALCOOL™ (RUBBER)

• Spiral-cool backing pads are manufactured and stocked with a 5/8-11 thread.



SPIRALCOOL RUBBER RESIN FIBRE DISC BACKING PADS

### POLY AIR COOL (PLASTIC)



POLY AIR-COOL PLASTIC RESIN FIBRE DISC BACKING PADS

### SPIRALCOOL™ & POLY AIR-COOL

Size	RPM	Box Qty.	Case	P/N
4" x 5/8" SPIRALCOOL Backup pad-Medium	12,000	1	1	70040000
4-1/2" x 5/8"-11 SPIRALCOOL Backup pad-Medium	10,000	1	1	70045000
5" x 5/8"-11 SPIRALCOOL Backup pad-Medium	8,500	1	1	70050000
7" x 5/8"-11 SPIRALCOOL Backup pad-Medium	7,000	1	1	70070000
Poly Air-Cool 4" x 5/8" Backup Pad	15,000	1	1	70040009
Poly Air-Cool 4.5" x 5/8"-11 Backup Pad	13,000	1	1	70045009
Poly Air-Cool 5" x 5/8"-11 Backup Pad	11,900	1	1	70050019
Poly Air-Cool 7" x 5/8"-11 Backup Pad	8,600	1	1	70070006
Spanner Wrench	-	1	1	90000045

# MINI RESIN FIBRE DISCS

Mini resin fibre discs are manufactured utilizing a multilayer, heavy duty vulcanized fibre backing which is then covered with a resin bond coat specially designed to resist loading, glazing and grain stripping. This bond coat is then covered with abrasive grain formulated for toughness and sharpness. Mini resin fibre discs are available in many different styles. Variances include diameter and attachment type (**TYPE R** ROLL-ON & **TYPE S** SCREW-ON fastening systems). Gemtex™ has the flexibility to create custom and special discs.




100% SG Ceramic (PREMIUM)



Ceramic/Aluminum Oxide (GENERAL PURPOSE)




100% Zirconia (PREMIUM)



Zirconia (GENERAL PURPOSE)



Ceramic / Zirconia (PREMIUM)



Aluminum Oxide (with no-load coating) (PREMIUM)



Aluminum Oxide "A" (PREMIUM)



Silicon Carbide (PREMIUM)

# MINI RESIN FIBRE DISCS

**PMD Supreme Discs** are manufactured with a patented formula which includes 100% SG Ceramic Grain with top coat which provides long lasting life on stainless steel and all high tensile alloys. The discs allow maximum grinding performance at reduced costs.

**PMD Discs** are made with a combination of Ceramic/Aluminum Oxide grain with a top coat developed as an economical alternative to a pure ceramic disc for use on stainless steel and other high tensile alloys. It provides higher cut rates and cooler grinding temperatures due to a custom blended grinding aid.



100% SG Ceramic (PREMIUM) TYPE R TYPE S

SIZE	GRIT	P/N	P/N	
<b>1-1/2"</b>	24	30815200	30815210	
	36	30815300	30815310	
	RPM 30,000	50	30815400	30815410
	BOX QTY 50	60	30815500	30815510
	CASE QTY 100	80	30815600	30815610
		100	30815700	30815710
<b>2"</b>	120	30815800	30815810	
	24	30820200	30820210	
	36	30820300	30820310	
	RPM 30,000	50	30820400	30820410
	BOX QTY 50	60	30820500	30820510
	CASE QTY 100	80	30820600	30820610
<b>3"</b>	100	30820700	30820710	
	120	30820800	30820810	
	24	30830200	30830210	
	36	30830300	30830310	
	RPM 20,000	50	30830400	30830410
	BOX QTY 25	60	30830500	30830510
<b>4"</b>	80	30830600	30830610	
	100	30830700	30830710	
	120	30830800	30830810	
	24	30840200	30840210	
	36	30840300	30840310	
	RPM 10,000	50	30840400	30840410
<b>4"</b>	60	30840500	30840510	
	80	30840600	30840610	
	100	30840700	30840710	
	120	30840800	30840810	
	BOX QTY 25			
	CASE QTY 100			

Ceramic/Aluminum Oxide (GENERAL PURPOSE) TYPE R TYPE S

SIZE	GRIT	P/N	P/N	
<b>1-1/2"</b>	24	21815205	21815210	
	36	21815305	21815310	
	RPM 30,000	50	21815405	21815410
	BOX QTY 50	60	21815505	21815510
	CASE QTY 100	80	21815605	21815610
		100	21815705	21815710
<b>2"</b>	120	21815805	21815810	
	24	21820205	21820210	
	36	21820305	21820310	
	RPM 30,000	50	21820405	21820410
	BOX QTY 50	60	21820505	21820510
	CASE QTY 100	80	21820605	21820610
<b>3"</b>	100	21820705	21820710	
	120	21820805	21820810	
	24	21830205	21830210	
	36	21830305	21830310	
	RPM 20,000	50	21830405	21830410
	BOX QTY 25	60	21830505	21830510
<b>4"</b>	80	21830605	21830610	
	100	21830705	21830710	
	120	21830805	21830810	
	24	21840205	21840210	
	36	21840305	21840310	
	RPM 10,000	50	21840405	21840410
<b>4"</b>	60	21840505	21840510	
	80	21840605	21840610	
	100	21840705	21840710	
	120	21840805	21840810	
	BOX QTY 25			
	CASE QTY 100			

# MINI RESIN FIBRE DISCS

**Zee Supreme** provides ultimate grinding performance on stainless steel and cost effectiveness when used in high production applications. The Zee Supreme formula of **100% Zirconia with top coat**, utilizes an extremely hard zirconia abrasive alloy which sharpens itself in use, delivering outstanding cutting rates and maximizing lifespan. The advanced bond minimizes grain shedding, while promoting a cool grinding action.

**ZEE Type General Purpose Zirconia Discs** are the most cost-effective choice when grinding stainless and other high tensile alloys. The disc provides ultimate cost effectiveness when used in high production applications. With only a 5% higher cost than aluminum oxide, it provides 25%-30% higher performance.



### 100% Zirconia (PREMIUM)

		TYPE R	TYPE S	
SIZE	GRIT	P/N	P/N	
<b>1-1/2"</b>	24	30215200	30215210	
	36	30215300	30215310	
	RPM 30,000	50	30215400	30215410
	BOX QTY 50	60	30215500	30215510
	CASE QTY 100	80	30215600	30215610
		100	30215700	30215710
		120	30215800	30215810
<b>2"</b>	24	30220200	30220210	
	36	30220300	30220310	
	RPM 30,000	50	30220400	30220410
	BOX QTY 50	60	30220500	30220510
	CASE QTY 100	80	30220600	30220610
		100	30220700	30220710
		120	30220800	30220810
<b>3"</b>	24	30230200	30230210	
	36	30230300	30230310	
	RPM 20,000	50	30230400	30230410
	BOX QTY 25	60	30230500	30230510
	CASE QTY 100	80	30230600	30230610
		100	30230700	30230710
		120	30230800	30230810
<b>4"</b>	24	30240200	30240210	
	36	30240300	30240310	
	RPM 10,000	50	30240400	30240410
	BOX QTY 25	60	30240500	30240510
	CASE QTY 100	80	30240600	30240610
		100	30240700	30240710
		120	30240800	30240810

### Zirconia (GENERAL PURPOSE)

		TYPE R	TYPE S	
SIZE	GRIT	P/N	P/N	
<b>1-1/2"</b>	24	21515205	21515210	
	36	21515305	21515310	
	RPM 30,000	50	21515405	21515410
	BOX QTY 50	60	21515505	21515510
	CASE QTY 100	80	21515605	21515610
		100	21515705	21515710
		120	21515805	21515810
<b>2"</b>	24	21520205	21520210	
	36	21520305	21520310	
	RPM 30,000	50	21520405	21520410
	BOX QTY 50	60	21520505	21520510
	CASE QTY 100	80	21520605	21520610
		100	21520705	21520710
		120	21520805	21520810
<b>3"</b>	24	21530205	21530210	
	36	21530305	21530310	
	RPM 20,000	50	21530405	21530410
	BOX QTY 25	60	21530505	21530510
	CASE QTY 100	80	21530605	21530610
		100	21530705	21530710
		120	21530805	21530810
<b>4"</b>	24	21540205	21540210	
	36	21540305	21540310	
	RPM 10,000	50	21540405	21540410
	BOX QTY 25	60	21540505	21540510
	CASE QTY 100	80	21540605	21540610
		100	21540705	21540710
		120	21540805	21540810

# MINI RESIN FIBRE DISCS

**GEM Supreme Discs** are formulated with a patented blend of **Ceramic and Zirconia** grain which makes the disc ideal for a wide range of grinding and finishing applications on **all metals**. These discs cut more aggressively than zirconia with a lower cost than a pure ceramic disc.

**SMD Discs: Aluminum Oxide Soft Metal Discs** are designed for use on soft metals like bronze, brass and aluminum. These discs disperse their own lubrication as the disc grinds, delaying heat build up of the metal work piece. Lower work surface temperature means melting is delayed, allowing the disc to cut and last longer than regular discs. The protected disc acts as an open coat, shedding any buildup of debris.

- Reduces disc waste and costly change over time
- Low pressure required for optimum performance



Ceramic /Zirconia (PREMIUM)

Aluminum Oxide (with no-load coating) (PREMIUM)

SIZE	GRIT	TYPE R	TYPE S
		P/N	P/N
<b>1-1/2"</b>	24	30515200	30515210
	36	30515300	30515310
RPM	50	30515400	30515410
30,000	60	30515500	30515510
BOX QTY	80	30515600	30515610
50	100	30515700	30515710
CASE QTY	120	30515800	30515810
100			
<b>2"</b>	24	30520200	30520210
	36	30520300	30520310
RPM	50	30520400	30520410
30,000	60	30520500	30520510
BOX QTY	80	30520600	30520610
50	100	30520700	30520710
CASE QTY	120	30520800	30520810
100			
<b>3"</b>	24	30530200	30530210
	36	30530300	30530310
RPM	50	30530400	30530410
20,000	60	30530500	30530510
BOX QTY	80	30530600	30530610
25	100	30530700	30530710
CASE QTY	120	30530800	30530810
100			
<b>4"</b>	24	30540200	30540210
	36	30540300	30540310
RPM	50	30540400	30540410
10,000	60	30540500	30540510
BOX QTY	80	30540600	30540610
25	100	30540700	30540710
CASE QTY	120	30540800	30540810
100			

SIZE	GRIT	TYPE R	TYPE S
		P/N	P/N
<b>1-1/2"</b>	24	21615205	21615210
	36	21615305	21615310
RPM	50	21615405	21615410
30,000	60	21615505	21615510
BOX QTY	80	21615605	21615610
50	100	21615705	21615710
CASE QTY	120	21615805	21615810
100			
<b>2"</b>	24	21620205	21620210
	36	21620305	21620310
RPM	50	21620405	21620410
30,000	60	21620505	21620510
BOX QTY	80	21620605	21620610
50	100	21620705	21620710
CASE QTY	120	21620805	21620810
100			
<b>3"</b>	24	21630205	21630210
	36	21630305	21630310
RPM	50	21630405	21630410
20,000	60	21630505	21630510
BOX QTY	80	21630605	21630610
25	100	21630705	21630710
CASE QTY	120	21630805	21630810
100			
<b>4"</b>	24	21640205	21640210
	36	21640305	21640310
RPM	50	21640405	21640410
10,000	60	21640505	21640510
BOX QTY	80	21640605	21640610
25	100	21640705	21640710
CASE QTY	120	21640805	21640810
100			

# MINI RESIN FIBRE DISCS

**Aluminum Oxide "A" Type Discs** provide superior grinding performance in a **Premium Aluminum Oxide** resin fibre disc. A blend of advanced abrasive grain and bonding agents deliver superior cutting rates and longer useful life.

"A" Type has been designed to excel when used in high stock removal applications where cool cutting action is required.

**Silicon Carbide discs** are designed for fiberglass, plastic, stone, terrazzo, granite and non-ferrous metal grinding applications.

• **Premium Silicon Carbide**, with its sharp grain characteristics, provides fast cutting action on all grinding and sanding applications without loading.



Aluminum Oxide "A" (PREMIUM)		TYPE R	TYPE S
SIZE	GRIT	P/N	P/N
<b>1-1/2"</b>	24	21215205	21215210
	36	21215305	21215310
RPM 30,000	50	21215405	21215410
BOX QTY 50	60	21215505	21215510
CASE QTY 100	80	21215605	21215610
	100	21215705	21215710
	120	21215805	21215810
	24	21220205	21220210
<b>2"</b>	36	21220305	21220310
	50	21220405	21220410
RPM 30,000	60	21220505	21220510
BOX QTY 50	80	21220605	21220610
CASE QTY 100	100	21220705	21220710
	120	21220805	21220810
<b>3"</b>	24	21230205	21230210
	36	21230305	21230310
RPM 20,000	50	21230405	21230410
BOX QTY 25	60	21230505	21230510
CASE QTY 100	80	21230605	21230610
	100	21230705	21230710
	120	21230805	21230810
	24	21240205	21240210
<b>4"</b>	36	21240305	21240310
	50	21240405	21240410
RPM 10,000	60	21240505	21240510
BOX QTY 25	80	21240605	21240610
CASE QTY 100	100	21240705	21240710
	120	21240805	21240810

Silicon Carbide (PREMIUM)		TYPE R	TYPE S
SIZE	GRIT	P/N	P/N
<b>1-1/2"</b>	24	21315205	21315210
	36	21315305	21315310
RPM 30,000	50	21315405	21315410
BOX QTY 50	60	21315505	21315510
CASE QTY 100	80	21315605	21315610
	100	21315705	21315710
	120	21315805	21315810
	24	21320205	21320210
<b>2"</b>	36	21320305	21320310
	50	21320405	21320410
RPM 30,000	60	21320505	21320510
BOX QTY 50	80	21320605	21320610
CASE QTY 100	100	21320705	21320710
	120	21320805	21320810
<b>3"</b>	24	21330205	21330210
	36	21330305	21330310
RPM 20,000	50	21330405	21330410
BOX QTY 25	60	21330505	21330510
CASE QTY 100	80	21330605	21330610
	100	21330705	21330710
	120	21330805	21330810
	24	21340205	21340210
<b>4"</b>	36	21340305	21340310
	50	21340405	21340410
RPM 10,000	60	21340505	21340510
BOX QTY 25	80	21340605	21340610
CASE QTY 100	100	21340705	21340710
	120	21340805	21340810

## RAPID CHANGE HOLDERS



### ***TYPE R***

#### RAPID CHANGE HOLDERS

Size	Box Qty.	Case Qty.	P/N
1-1/2"	1	10	70015001
2"	1	10	70020003
3"	1	10	70030001
4"	1	10	70040011

### ***TYPE R*** ROLL-ON STYLE





### ***TYPE S***

#### RAPID CHANGE HOLDERS

Size	Box Qty.	Case Qty.	P/N
1-1/2"	1	10	70015003
2"	1	10	70020004
3"	1	10	70030002
4"	1	10	70040013

### ***TYPE S*** SCREW-ON STYLE






## MINI 2 PLY CLOTH RAPID CHANGE DISCS


- Best for weld removal, blending and removal of imperfections
- Rapid change system (**TYPE R** ROLL-ON & **TYPE S** SCREW-ON fastening systems)
  - Added flexibility over our Mini Resin Fibre discs

### ALUMINUM OXIDE (GENERAL PURPOSE)

Aluminum Oxide for general purpose grinding, deburring and blending on most all metal applications.



TYPE R ROLL-ON STYLE




TYPE S SCREW-ON STYLE


### **(PREMIUM)**

### CERAMIC WITH TOP COAT

Ceramic Sharp, durable, ceramic grain for aggressive stock removal and long life. Use on Waspaloy, cobalt, chrome, Hastelloy and Inconel. Performance proven on grinding hot castings.



TYPE R ROLL-ON STYLE




TYPE S SCREW-ON STYLE


### ZIRCONIA (GENERAL PURPOSE)

Zirconia heavy duty Zirconia grain with a grinding aid for use on high temperature alloys, titanium and stainless steel.

- Best for weld removal, blending and removal of imperfections.
- Added flexibility over our Mini Resin Fibre discs.



TYPE R ROLL-ON STYLE




TYPE S SCREW-ON STYLE


### **(PREMIUM)**

### ZIRCONIA WITH TOP COAT

Aggressive stock removal on stainless steel. Enhanced performance in moderate to heavy pressure applications. Dissipates heat and resists loading. First choice when grinding gummy heat sensitive metals. Performance proven on grinding hot castings.




TYPE R ROLL-ON STYLE



TYPE S SCREW-ON STYLE





## MINI 2 PLY CLOTH RAPID CHANGE DISCS



ALUMINUM OXIDE  
(GENERAL PURPOSE)

		TYPE R	TYPE S
Size	Grit	P/N	P/N
<b>1-1/2"</b>	36	31215305	31215310
	RPM	31215405	31215410
	30,000	31215505	31215510
	BOX QTY	31215605	31215610
	25	31215705	31215710
	CASE QTY	31215805	31215810
50			
<b>2"</b>	24	31220205	31220210
	36	31220305	31220310
	RPM	31220405	31220410
	30,000	31220505	31220510
	BOX QTY	31220605	31220610
	25	31220705	31220710
CASE QTY	31220805	31220810	
50			
<b>3"</b>	24	31230205	31230210
	36	31230305	31230310
	RPM	31230405	31230410
	20,000	31230505	31230510
	BOX QTY	31230605	31230610
	25	31230705	31230710
CASE QTY	31230805	31230810	
50			



CERAMIC WITH TOP COAT  
(PREMIUM)

		TYPE R	TYPE S
Size	Grit	P/N	P/N
<b>1-1/2"</b>	36	31715305	31715310
	RPM	31715405	31715410
	30,000	31715505	31715510
	BOX QTY	31715605	31715610
	25	31715705	31715710
	CASE QTY	31715805	31715810
50			
<b>2"</b>	24	31720205	31720210
	36	31720305	31720310
	RPM	31720405	31720410
	30,000	31720505	31720510
	BOX QTY	31720605	31720610
	25	31720705	31720710
CASE QTY	31720805	31720810	
50			
<b>3"</b>	24	31730205	31730210
	36	31730305	31730310
	RPM	31730405	31730410
	20,000	31730505	31730510
	BOX QTY	31730605	31730610
	25	31730705	31730710
CASE QTY	31730805	31730810	
50			



ZIRCONIA  
(GENERAL PURPOSE)

		TYPE R	TYPE S
Size	Grit	P/N	P/N
<b>1-1/2"</b>	36	31515305	31515310
	RPM	31515405	31515410
	30,000	31515505	31515510
	BOX QTY	31515605	31515610
	25	31515705	31515710
	CASE QTY	31515805	31515810
50			
<b>2"</b>	24	31520205	31520210
	36	31520305	31520310
	RPM	31520405	31520410
	30,000	31520505	31520510
	BOX QTY	31520605	31520610
	25	31520705	31520710
CASE QTY	31520805	31520810	
50			
<b>3"</b>	24	31530205	31530210
	36	31530305	31530310
	RPM	31530405	31530410
	20,000	31530505	31530510
	BOX QTY	31530605	31530610
	25	31530705	31530710
CASE QTY	31530805	31530810	
50			



ZIRCONIA WITH TOP COAT  
(PREMIUM)

		TYPE R	TYPE S
Size	Grit	P/N	P/N
<b>1-1/2"</b>	36	31615305	31615310
	RPM	31615405	31615410
	30,000	31615505	31615510
	BOX QTY	31615605	31615610
	25	31615705	31615710
	CASE QTY	31615805	31615810
50			
<b>2"</b>	24	31620205	31620210
	36	31620305	31620310
	RPM	31620405	31620410
	30,000	31620505	31620510
	BOX QTY	31620605	31620610
	25	31620705	31620710
CASE QTY	31620805	31620810	
50			
<b>3"</b>	24	31630205	31630210
	36	31630305	31630310
	RPM	31630405	31630410
	20,000	31630505	31630510
	BOX QTY	31630605	31630610
	25	31630705	31630710
CASE QTY	31630805	31630810	
50			

# MINI GRIND R™ RAPID CHANGE DISCS

Mini Grind R™ uses a Type R plastic roll-on lock design as its base. Grain is fused directly to a tough polymer backing. Not paper, not cloth, not even fibre, but plastic. This one piece design prevents the risk of detaching from the holder, while the polymer promotes cool efficient grinding on wet & dry surfaces. Mini Grind R™ Discs outperform conventional 2 and 3 ply cloth discs. All Gemtex™ Mini Grind R™ discs are powerful, versatile, flexible, safe, and economical. They are designed for use with a holder of the same size and lock system.

**PMD**  
SUPREME



100% SG Ceramic (PREMIUM)

**PMD**  
TYPE



Ceramic/Aluminum Oxide (GENERAL PURPOSE)

**ZEE**  
SUPREME



100% Zirconia (PREMIUM)

**ZEE**  
TYPE



Zirconia (GENERAL PURPOSE)

**GEM**  
SUPREME



Ceramic / Zirconia (PREMIUM)

**A/O**  
TYPE A



Aluminum Oxide "A"  
Type Discs  
(PREMIUM)

**SMD**  
TYPE



Aluminum Oxide  
(with no-load coating)  
(PREMIUM)

**S/C**  
TYPE



Silicon Carbide (PREMIUM)



# MINI GRIND R™ RAPID CHANGE DISCS

Mini Grind R™ uses a Type R plastic roll-on lock design as its base. Grain is fused directly to a tough polymer backing. Not paper, not cloth, not even fibre, but plastic. This one piece design prevents the risk of detaching from the holder, while the polymer promotes cool efficient grinding on wet & dry surfaces. Mini Grind R™ Discs outperform conventional 2 and 3 ply cloth discs. All Gemtex™ Mini Grind R™ discs are powerful, versatile, flexible, safe, and economical. They are designed for use with a holder of the same size and lock system.

**PMD Supreme Discs** are manufactured with a patented formula which includes 100% SG Ceramic Grain with top coat which provides long lasting life on stainless steel and all high tensile alloys. The discs allow maximum grinding performance at reduced costs.

**PMD Discs** are made with a combination of Ceramic/Aluminum Oxide grain with a top coat developed as an economical alternative to a pure ceramic disc for use on stainless steel and other high tensile alloys. It provides higher cut rates and cooler grinding temperatures due to custom blended grinding aid.



PMD SUPREME™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	30715200	
	36	30715300	
	RPM	50	30715400
	30,000	60	30715500
	BOX QTY	80	30715600
	50	100	30715700
<b>2"</b>	CASE QTY	120	30715800
	24	24	30720200
		36	30720300
	RPM	50	30720400
	30,000	60	30720500
	BOX QTY	80	30720600
50	100	30720700	
<b>3"</b>	CASE QTY	120	30720800
	24	24	30730200
		36	30730300
	RPM	50	30730400
	20,000	60	30730500
	BOX QTY	80	30730600
25	100	30730700	
CASE QTY	50	30730800	
	120		

PMD TYPE™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	23715200	
	36	23715300	
	RPM	50	23715400
	30,000	60	23715500
	BOX QTY	80	23715600
	50	100	23715700
<b>2"</b>	CASE QTY	120	23715800
	24	24	23720200
		36	23720300
	RPM	50	23720400
	30,000	60	23720500
	BOX QTY	80	23720600
50	100	23720700	
<b>3"</b>	CASE QTY	120	23720800
	24	24	23730200
		36	23730300
	RPM	50	23730400
	20,000	60	23730500
	BOX QTY	80	23730600
25	100	23730700	
CASE QTY	50	23730800	
	120		



# MINI GRIND R™ RAPID CHANGE DISCS

Mini Grind R™ uses a Type R plastic roll-on lock design as its base. Grain is fused directly to a tough polymer backing. Not paper, not cloth, not even fibre, but plastic. This one piece design prevents the risk of detaching from the holder, while the polymer promotes cool efficient grinding on wet & dry surfaces. Mini Grind R™ Discs outperform conventional 2 and 3 ply cloth discs. All Gemtex™ Mini Grind R™ discs are powerful, versatile, flexible, safe, and economical. They are designed for use with a holder of the same size and lock system.

**Zee Supreme** provides ultimate grinding performance on stainless steel and cost effectiveness when used in high production applications. The Zee Supreme formula of 100% Zirconia with top coat, utilizes an extremely hard zirconia abrasive alloy which sharpens itself in use, delivering outstanding cutting rates and maximizing lifespan. The advanced bond minimizes grain shedding, while promoting a cool grinding action.

**ZEE Type General Purpose Zirconia Discs** are the most cost effective choice when grinding stainless and other high tensile alloys. The disc provides ultimate cost effectiveness when used in high production applications. With only a 5% higher cost than aluminum oxide, it provides 25%-30% higher performance.



ZEE SUPREME			
Size	Grit	P/N	
<b>1-1/2"</b>	24	30115200	
	RPM 30,000	36 30115300	
	BOX QTY 50	50 30115400	
	CASE QTY 50	60	30115500
		80	30115600
		100	30115700
	120	30115800	
<b>2"</b>	24	30120200	
	RPM 30,000	36 30120300	
	BOX QTY 50	50 30120400	
	CASE QTY 50	60	30120500
		80	30120600
		100	30120700
	120	30120800	
<b>3"</b>	24	30130200	
	RPM 20,000	36 30130300	
	BOX QTY 25	50 30130400	
	CASE QTY 50	60	30130500
		80	30130600
		100	30130700
	120	30130800	

ZEE TYPE			
Size	Grit	P/N	
<b>1-1/2"</b>	24	23515200	
	RPM 30,000	36 23515300	
	BOX QTY 50	50 23515400	
	CASE QTY 50	60	23515500
		80	23515600
		100	23515700
	120	23515800	
<b>2"</b>	24	23520200	
	RPM 30,000	36 23520300	
	BOX QTY 50	50 23520400	
	CASE QTY 50	60	23520500
		80	23520600
		100	23520700
	120	23520800	
<b>3"</b>	24	23530200	
	RPM 20,000	36 23530300	
	BOX QTY 25	50 23530400	
	CASE QTY 50	60	23530500
		80	23530600
		100	23530700
	120	23530800	



# MINI GRIND R™ RAPID CHANGE DISCS

GEM SUPREME™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	30415200	
	36	30415300	
	RPM 30,000	50	30415400
	BOX QTY 50	60	30415500
	CASE QTY 50	80	30415600
		100	30415700
<b>2"</b>	120	30415800	
	24	30420200	
	36	30420300	
	RPM 30,000	50	30420400
	BOX QTY 50	60	30420500
	CASE QTY 50	80	30420600
<b>3"</b>	100	30420700	
	120	30420800	
	24	30430200	
	36	30430300	
	RPM 20,000	50	30430400
	BOX QTY 25	60	30430500
CASE QTY 50	80	30430600	
	100	30430700	
	120	30430800	



Ceramic / Zirconia (PREMIUM)

GEM SUPREME DISCS are formulated with a patented blend of Ceramic and Zirconia grain which makes the disc ideal for a wide range of grinding and finishing applications **on all metals**. These discs cut more aggressively than zirconia with a lower cost than a pure ceramic disc.

SMD TYPE™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	23615200	
	36	23615300	
	RPM 30,000	50	23615400
	BOX QTY 50	60	23615500
	CASE QTY 50	80	23615600
		100	23615700
<b>2"</b>	120	23615800	
	24	23620200	
	36	23620300	
	RPM 30,000	50	23620400
	BOX QTY 50	60	23620500
	CASE QTY 50	80	23620600
<b>3"</b>	100	23620700	
	120	23620800	
	24	23630200	
	36	23630300	
	RPM 20,000	50	23630400
	BOX QTY 25	60	23630500
CASE QTY 50	80	23630600	
	100	23630700	
	120	23630800	



Aluminum Oxide (with no-load coating) (PREMIUM)

**SMD DISC: Aluminum Oxide**

Soft Metal Discs are designed for use on soft metals like bronze, brass & aluminum. These discs disperse their own lubrication as the disc grinds, delaying heat buildup of the metal work piece. Lower work surface temperature means melting is delayed, allowing the disc to cut and last longer than regular discs. The protected disc act as an open coat, shedding any buildup of debris.

- Reduces disc waste & costly change-over time
- Low pressure required for optimum performance

A/O TYPE A™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	23115200	
	36	23115300	
	RPM 30,000	50	23115400
	BOX QTY 50	60	23115500
	CASE QTY 50	80	23115600
		100	23115700
<b>2"</b>	120	23115800	
	24	23120200	
	36	23120300	
	RPM 30,000	50	23120400
	BOX QTY 50	60	23120500
	CASE QTY 50	80	23120600
<b>3"</b>	100	23120700	
	120	23120800	
	24	23130200	
	36	23130300	
	RPM 20,000	50	23130400
	BOX QTY 25	60	23130500
CASE QTY 50	80	23130600	
	100	23130700	
	120	23130800	



Aluminum Oxide "A" Type Discs (PREMIUM)

Aluminum Oxide "A Type Discs" provide superior grinding performance in a Premium Aluminum Oxide resin fibre disc. A blend of advance abrasive alloys and bonding agents deliver superior cutting rates and longer useful life.

"A" Type has been designed to excel when used in high stock removal applications where cool cutting action is required.

S/C TYPE™			
Size	Grit	P/N	
<b>1-1/2"</b>	24	23315200	
	36	23315300	
	RPM 30,000	50	23315400
	BOX QTY 50	60	23315500
	CASE QTY 50	80	23315600
		100	23315700
<b>2"</b>	120	23315800	
	24	23320200	
	36	23320300	
	RPM 30,000	50	23320400
	BOX QTY 50	60	23320500
	CASE QTY 50	80	23320600
<b>3"</b>	100	23320700	
	120	23320800	
	24	23330200	
	36	23330300	
	RPM 20,000	50	23330400
	BOX QTY 25	60	23330500
CASE QTY 50	80	23330600	
	100	23330700	
	120	23330800	



Silicon Carbide (PREMIUM)

Silicon Carbide Discs are designed for fiberglass, plastic, stone, terrazzo, granite & non-ferrous metal grinding applications.

- Premium Silicon Carbide, with its sharp grain characteristics provide fast cutting action on all grinding & sanding applications without loading.



**Brite  
prep** SURFACE CONDITIONING

**Brite-Prep™ SURFACE CONDITIONING**-Our high performance surface conditioning products are manufactured from Bibielle tight, non-woven fibre web impregnated with grain on a woven backing. They are ideal for deburring, blending and removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut, high rate of productivity and are long lasting.

EXCELLENT FOR: •BLENDING •DEBURRING •FINISHING •CLEANING •GRAINING

HOOK & LOOP  
1-1/2" - 7" DIAMETER  
(NO HOLE)



Extra Course HD Brown    Extra Course Brown    Course Tan    Medium Maroon HD    Medium Maroon    Very Fine Blue    Ultra Fine Grey



DISCS  
TYPE R ROLL-ON STYLE



TRIM-KUT™  
3" & 5" DIAMETER  
(MULTIPLE MANDREL SIZES AVAILABLE)



DISCS  
TYPE S SCREW-ON STYLE



TRIM-KUT™  
4 1/2" x 7/8" DEPRESSED CENTER



4 1/2" - 7" DIAMETER HOOK & LOOP  
(3/8" & 7/8" CENTER HOLE)

**QUICKLOCK**  
**SPINNER**  
DISC



QUICKLOCK "SPINNER"  
4 1/2" & 5" DIAMETER (TYPE S UNDERSIDE MOUNT  
WITH 5/8"-11 SCREW-ON LOCKING STYLE)

**SPINLOCK**  
DISC



SPINLOCK  
4 1/2" & 5" DIAMETER  
(WITH 5/8"-11 SCREW-ON LOCK WASHER)



**Brite  
prep** SURFACE CONDITIONING

**bibielle**  
Abrasive Technology

**Brite-Prep™ SURFACE CONDITIONING**-Our high performance surface conditioning products are manufactured from Bibielle tight, non-woven fibre web impregnated with grain on a woven backing. They are ideal for deburring, blending and removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut, high rate of productivity and are long lasting.

**TYPE R ROLL-ON STYLE**



**TYPE R  
ROLL-ON STYLE**

Size	Grit	P/N
<b>1-1/2"</b>	Extra Coarse - HD Brown*	25115813
	Extra Coarse - Brown	25115803
	Coarse - Gold	25115853
	Medium HD - Maroon*	25115913
	Medium - Maroon	25115903
	Very Fine - Blue	25115923
Ultra Fine - Grey	25115953	
<b>RPM</b>		
<b>30,000</b>		
<b>BOX QTY</b>		
<b>50</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>2"</b>	Extra Coarse HD - Brown*	25120813
	Extra Coarse - Brown	25120803
	Coarse - Gold	25120853
	Medium HD - Maroon*	25120913
	Medium - Maroon	25120903
	Very Fine - Blue	25120923
Ultra Fine - Grey	25120953	
<b>RPM</b>		
<b>30,000</b>		
<b>BOX QTY</b>		
<b>50</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>3"</b>	Extra Coarse HD - Brown*	25130813
	Extra Coarse - Brown	25130803
	Coarse - Gold	25130853
	Medium HD - Maroon*	25130913
	Medium - Maroon	25130903
	Very Fine - Blue	25130923
Ultra Fine - Grey	25130953	
<b>RPM</b>		
<b>20,000</b>		
<b>BOX QTY</b>		
<b>25</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>4"</b>	Extra Coarse HD - Brown*	25140813
	Extra Coarse - Brown	25140803
	Coarse - Gold	25140853
	Medium HD - Maroon*	25140913
	Medium - Maroon	25140903
	Very Fine - Blue	25140923
Ultra Fine - Grey	25140953	
<b>RPM</b>		
<b>10,000</b>		
<b>BOX QTY</b>		
<b>25</b>		
<b>CASE QTY</b>		
<b>100</b>		

**TYPE S SCREW-ON STYLE**



**TYPE S  
SCREW-ON STYLE**

Size	Grit	P/N
<b>1-1/2"</b>	Extra Coarse - HD Brown*	25115812
	Extra Coarse - Brown	25115802
	Coarse - Gold	25115852
	Medium HD - Maroon*	25115912
	Medium - Maroon	25115902
	Very Fine - Blue	25115922
Ultra Fine - Grey	25115952	
<b>RPM</b>		
<b>30,000</b>		
<b>BOX QTY</b>		
<b>50</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>2"</b>	Extra Coarse HD - Brown*	25120812
	Extra Coarse - Brown	25120802
	Coarse - Gold	25120852
	Medium HD - Maroon*	25120912
	Medium - Maroon	25120902
	Very Fine - Blue	25120922
Ultra Fine - Grey	25120952	
<b>RPM</b>		
<b>30,000</b>		
<b>BOX QTY</b>		
<b>50</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>3"</b>	Extra Coarse HD - Brown*	25130812
	Extra Coarse - Brown	25130802
	Coarse - Gold	25130852
	Medium HD - Maroon*	25130912
	Medium - Maroon	25130902
	Very Fine - Blue	25130922
Ultra Fine - Grey	25130952	
<b>RPM</b>		
<b>20,000</b>		
<b>BOX QTY</b>		
<b>25</b>		
<b>CASE QTY</b>		
<b>100</b>		
<b>4"</b>	Extra Coarse HD - Brown*	25140812
	Extra Coarse - Brown	25140802
	Coarse - Gold	25140852
	Medium HD - Maroon*	25140912
	Medium - Maroon	25140902
	Very Fine - Blue	25140922
Ultra Fine - Grey	25140952	
<b>RPM</b>		
<b>10,000</b>		
<b>BOX QTY</b>		
<b>25</b>		
<b>CASE QTY</b>		
<b>100</b>		

**QUICKLOCK  
SPINNER  
DISC**

Quicklock: Can be applied to any disc with 7/8" arbor. The 5/8"-11 Type "S" threaded lock, on the backside of the disc, allows flat grinding and eliminates the possibility of scratching the work piece. The threaded lock allows the disc to spin on and off the spindle without a locking nut or wrench.



**QUICKLOCK TYPE S METAL SCREW-ON LOCKING STYLE**

Size	Grit	P/N
<b>4 -1/2"</b> x 5/8"-11 QUICKLOCK	Extra Coarse HD - Brown*	25145814
	Extra Coarse - Brown	25145802
	Coarse - Gold	25145852
	Medium HD - Maroon*	25145914
	Medium - Maroon	25145902
	Very Fine - Blue	25145922
Ultra Fine - Grey	25145952	
<b>RPM</b>		
<b>13,300</b>		
<b>BOX QTY</b>		
<b>10</b>		
<b>CASE QTY</b>		
<b>40</b>		
<b>5"</b> x 5/8"-11 QUICKLOCK	Extra Coarse HD - Brown*	25150814
	Extra Coarse - Brown	25150802
	Coarse - Gold	25150852
	Medium HD - Maroon*	25150914
	Medium - Maroon	25150902
	Very Fine - Blue	25150922
Ultra Fine - Grey	25150952	
<b>RPM</b>		
<b>12,150</b>		
<b>BOX QTY</b>		
<b>10</b>		
<b>CASE QTY</b>		
<b>40</b>		



**Brite  
prep** SURFACE CONDITIONING

**Brite-Prep™ SURFACE CONDITIONING**-Our high performance surface conditioning products are manufactured from Bibielle tight, non-woven fibre web impregnated with grain on a woven backing. They are ideal for deburring, blending and removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut, high rate of productivity and are long lasting.



HOOK & LOOP  
1-1/2"-7" DIAMETER  
(NO HOLE)

Extra Coarse HD Brown    Extra Coarse Brown    Coarse Tan    Medium Maroon HD    Medium Maroon    Very Fine Blue    Ultra Fine Grey

**HOOK AND LOOP**

Size	Grit	P/N
<b>1-1/2"</b> RPM 30,000 BOX QTY 50 CASE QTY 100	Extra Coarse HD - Brown*	25115814
	Extra Coarse - Brown	25115804
	Coarse - Gold	25115854
	Medium HD - Maroon*	25115914
	Medium - Maroon	25115904
	Very Fine - Blue	25115924
	Ultra Fine - Grey	25115954
<b>2"</b> RPM 30,000 BOX QTY 50 CASE QTY 100	Extra Coarse HD - Brown*	25120814
	Extra Coarse - Brown	25120804
	Coarse - Gold	25120854
	Medium HD - Maroon*	25120914
	Medium - Maroon	25120904
	Very Fine - Blue	25120924
	Ultra Fine - Grey	25120954
<b>3"</b> RPM 20,000 BOX QTY 25 CASE QTY 100	Extra Coarse HD - Brown*	25130814
	Extra Coarse - Brown	25130804
	Coarse - Gold	25130854
	Medium HD - Maroon*	25130914
	Medium - Maroon	25130904
	Very Fine - Blue	25130924
	Ultra Fine - Grey	25130954
<b>4"</b> RPM 10,000 BOX QTY 25 CASE QTY 100	Extra Coarse HD - Brown*	25140814
	Extra Coarse - Brown	25140804
	Coarse - Gold	25140854
	Medium HD - Maroon*	25140914
	Medium - Maroon	25140904
	Very Fine - Blue	25140924
	Ultra Fine - Grey	25140954

**HOOK AND LOOP (CONT.)**

Size	Grit	P/N
<b>4-1/2"</b> RPM 13,300 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25145816
	Extra Coarse - Brown	25145804
	Coarse - Gold	25145854
	Medium HD - Maroon*	25145916
	Medium - Maroon	25145904
	Very Fine - Blue	25145924
	Ultra Fine - Grey	25145954
<b>5"</b> RPM 12,150 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25150816
	Extra Coarse - Brown	25150804
	Coarse - Gold	25150854
	Medium HD - Maroon*	25150916
	Medium - Maroon	25150904
	Very Fine - Blue	25150924
	Ultra Fine - Grey	25150954
<b>6"</b> RPM 9,600 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25160816
	Extra Coarse - Brown	25160804
	Coarse - Gold	25160854
	Medium HD - Maroon*	25160916
	Medium - Maroon	25160904
	Very Fine - Blue	25160924
	Ultra Fine - Grey	25160954
<b>7"</b> RPM 8,600 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25170816
	Extra Coarse - Brown	25170804
	Coarse - Gold	25170854
	Medium HD - Maroon*	25170916
	Medium - Maroon	25170904
	Very Fine - Blue	25170924
	Ultra Fine - Grey	25170954

SURFACE CONDITIONING MATERIAL GRITS	
<b>24 - 36 Grit: Extra Coarse HD</b>	Scale Removal, Light Stock Removal, Heavy Deburring
<b>40 - 120 Grit: Coarse/Extra Coarse</b>	Light Deburring, Paint & Dust Removal
<b>150 - 220 Grit: Medium / Medium HD</b>	Blending, Finishing & Cleaning
<b>240 - 320 Grit: Fine/Very Fine</b>	Finishing & Polishing



**Brite  
prep** SURFACE CONDITIONING

**Brite-Prep™ SURFACE CONDITIONING**-Our high performance surface conditioning products are manufactured from Bibielle tight, non-woven fibre web impregnated with grain on a woven backing. They are ideal for deburring, blending and removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut, high rate of productivity and are long lasting.

**HOOK & LOOP WITH CENTER HOLE**

Size	Grit	P/N	Size	Grit	P/N
<b>4 -1/2"</b> x 3/8" Center Hole RPM 13,300 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25145803	<b>6"</b> x 3/8" Center Hole RPM 9,600 BOX QTY 25 CASE QTY 50	Extra Coarse HD - Brown*	25160803
	Extra Coarse - Brown	25145805		Extra Coarse - Brown	25160805
	Coarse - Gold	25145855		Coarse - Gold	25160855
	Medium HD - Maroon*	25145903		Medium HD - Maroon*	25160903
	Medium - Maroon	25145905		Medium - Maroon	25160905
	Very Fine - Blue	25145925		Very Fine - Blue	25160925
<b>4 -1/2"</b> x 7/8" Center Hole RPM 13,300 BOX QTY 25 CASE QTY 50	Ultra Fine - Grey	25145955	<b>6"</b> x 7/8" Center Hole RPM 9,600 BOX QTY 25 CASE QTY 50	Ultra Fine - Grey	25160955
	Extra Coarse HD - Brown*	25145806		Extra Coarse HD - Brown*	25160806
	Extra Coarse - Brown	25145807		Extra Coarse - Brown	25160807
	Coarse - Gold	25145857		Coarse - Gold	25160857
	Medium HD - Maroon*	25145906		Medium HD - Maroon*	25160906
	Medium - Maroon	25145907		Medium - Maroon	25160907
<b>5"</b> x 3/8" Center Hole RPM 12,150 BOX QTY 25 CASE QTY 50	Very Fine - Blue	25145927	<b>7"</b> x 3/8" Center Hole RPM 8,600 BOX QTY 25 CASE QTY 50	Very Fine - Blue	25160927
	Ultra Fine - Grey	25145957		Ultra Fine - Grey	25160957
	Extra Coarse HD - Brown*	25150803		Extra Coarse HD - Brown*	25170803
	Extra Coarse - Brown	25150805		Extra Coarse - Brown	25170805
	Coarse - Gold	25150855		Coarse - Gold	25170855
	Medium HD - Maroon*	25150903		Medium HD - Maroon*	25170903
<b>5"</b> x 7/8" Center Hole RPM 12,150 BOX QTY 25 CASE QTY 50	Medium - Maroon	25150905	<b>7"</b> x 7/8" Center Hole RPM 8,600 BOX QTY 25 CASE QTY 50	Medium - Maroon	25170905
	Very Fine - Blue	25150925		Very Fine - Blue	25170925
	Ultra Fine - Grey	25150955		Ultra Fine - Grey	25170955
	Extra Coarse HD - Brown*	25150806		Extra Coarse HD - Brown*	25170806
	Extra Coarse - Brown	25150807		Extra Coarse - Brown	25170807
	Coarse - Gold	25150857		Coarse - Gold	25170857
<b>5"</b> x 3/8" Center Hole RPM 12,150 BOX QTY 25 CASE QTY 50	Medium HD - Maroon*	25150906	<b>7"</b> x 3/8" Center Hole RPM 8,600 BOX QTY 25 CASE QTY 50	Medium HD - Maroon*	25170906
	Medium - Maroon	25150907		Medium - Maroon	25170907
	Very Fine - Blue	25150927		Very Fine - Blue	25170927
	Ultra Fine - Grey	25150957		Ultra Fine - Grey	25170957
	Extra Coarse HD - Brown*	25150806		Extra Coarse HD - Brown*	25170806
	Extra Coarse - Brown	25150807		Extra Coarse - Brown	25170807



**SPINLOCK™** SPINLOCK™ TYPE S METAL TWIST-ON LOCK WASHER

Spinlock washer can be applied to any disc with a 7/8" arbor. 5/8"-11 threaded lock allows the disc to spin on and off the spindle, without a locking nut or wrench.



Size	Grit	P/N
<b>4 -1/2"</b> x 5/8"-11 SPINLOCK RPM 13,300 BOX QTY 10 CASE QTY 20	Extra Coarse HD - Brown*	25145815
	Extra Coarse - Brown	25145812
	Coarse - Gold	25145862
	Medium HD - Maroon*	25145915
	Medium - Maroon	25145912
	Very Fine - Blue	25145962
<b>5"</b> x 5/8"-11 SPINLOCK RPM 12,150 BOX QTY 10 CASE QTY 20	Ultra Fine - Grey	25145972
	Extra Coarse HD - Brown*	25150815
	Extra Coarse - Brown	25150812
	Coarse - Gold	25150862
	Medium HD - Maroon*	25150915
	Medium - Maroon	25150912
<b>5"</b> x 5/8"-11 SPINLOCK RPM 12,150 BOX QTY 10 CASE QTY 20	Very Fine - Blue	25150962
	Ultra Fine - Grey	25150972

## BritePrep™ SURFACE COND. ROLLS

**BritePrep™ SURFACE CONDITIONING**-Our high performance surface conditioning products are manufactured from Bibielle tight, non-woven fibre web impregnated with grain on a woven backing.

They are ideal for deburring, blending and removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut, high rate of productivity and are long lasting.



Coarse - Gold

Medium - Maroon

### JUMBO ROLLS 40" X 22.4 YDS.

Size	Grit	Roll Qty.	P/N
Roll	Extra Coarse - Brown	1	60386208
	Coarse - Gold	1	60324071
	Medium - Maroon	1	60324070
	Very Fine - Blue	1	60324069
	Ultra Fine - Grey	1	60386209

## BritePrep™ NON-WOVEN ROLLS

**NON-WOVEN MATERIAL BritePrep™** non-woven abrasive products are manufactured from synthetic fibres bonded together with specially formulated resins and impregnated throughout the web with grain creating an open, three-dimensional structure.

- Dry scuffing, cleaning, finishing, polishing
- Paint, rust and corrosion removal
- May be used with water or chemical solvents
- Applications range from hand cleaning to high-speed machine use.




Green Industrial (M11)

Ultra Fine - Grey

### JUMBO ROLLS 850MM X 30M (33.5" X 32.8YDS.)

Size	Grit	Qty.	P/N
ROLL	Tan - Heavy Duty	1	22754
	Green - Industrial (M11)	1	113802
	Black - Medium S*	1	123802
	Maroon - Premium (M78)	1	783802
	Grey - Ultra Fine (M19)	1	193802



Green Industrial

Ultra Fine - Grey

### SCUFF ROLLS 100MM X 10M (4" X 10.9YDS.)

Size	Grit	Qty.	P/N
ROLL	Tan - Heavy Duty	1	70143
	Green - Industrial	1	115901
	Black - Medium S*	1	125901
	Maroon - Premium	1	785901
	Grey - Ultra Fine	1	195901

## NON-WOVEN ABRASIVES

**NON-WOVEN MATERIAL BRITEPREP™** NON-WOVEN ABRASIVE PRODUCTS ARE MANUFACTURED FROM SYNTHETIC FIBRES BONDED TOGETHER WITH SPECIALLY FORMULATED RESINS AND IMPREGNATED THROUGHOUT THE WEB WITH GRAIN CREATING AN OPEN, THREE-DIMENSIONAL STRUCTURE.

- DRY SCUFFING, CLEANING, FINISHING, POLISHING
- PAINT, RUST AND CORROSION REMOVAL
- MAY BE USED WITH WATER OR CHEMICAL SOLVENTS
- APPLICATIONS RANGE FROM HAND CLEANING TO HIGH-SPEED MACHINE USE.

### HAND PADS 6" X 9"

SIZE	GRIT	CASE QTY	P/N
<b>BOX</b>	Tan - Heavy Duty	10	23811
	Tan - Heavy Duty	20	23819
	Green - General Purpose	20	23814
	Black - Medium S* (BEST FOR S.S.)	20	23816
	Maroon - Very Fine A	20	23812
	Grey - Ultra Fine S	20	23813
	White - Non-Abrasive Clean & Polish	20	23815
<b>10 PACK SHRINK WRAPPED</b>	Tan - Heavy Duty	40	58040
	Green - General Purpose	60	58096
	Black - Medium S* (BEST FOR S.S.)	60	58090
	Maroon - Very Fine A	60	58047
	Grey - Ultra Fine	60	58048
	White - Non-Abrasive Clean & Polish	60	58080
<b>BULK 10 PACK SHRINK WRAPPED</b>	Tan - Heavy Duty	520	24065
	Green - General Purpose	520	28830
	Black - Medium S* (BEST FOR S.S.)	520	28833
	Maroon - Very Fine A	520	24062
	Grey - Ultra Fine	520	28831
	White - Non-Abrasive Clean & Polish	520	28832



Black - Medium S\* (BEST FOR STAINLESS STEEL)

### SCUFF DISCS

SIZE	GRIT	CASE QTY	P/N
<b>5"</b>	Tan - Extra Cut	40	24551
	Green - General Purpose	40	110551
	Black - Medium S*	40	120551
	Maroon - Very Fine A	40	780551
	Grey - Ultra Fine S	40	190551
	White - Non-Abrasive Clean & Polish	40	341551
<b>6"</b>	Tan - Extra Cut	40	241651
	Green - General Purpose	40	110651
	Black - Medium S*	40	120651
	Maroon - Very Fine A	40	780651
	Grey - Ultra Fine S	40	190651
	White - Non-Abrasive Clean & Polish	40	341651
<b>8"</b>	Tan - Extra Cut	40	241851
	Green - General Purpose	40	111851
	Black - Medium S*	40	120851
	Maroon - Very Fine A	40	780851
	Grey - Ultra Fine S	40	190851
	White - Non-Abrasive Clean & Polish	40	341851



# STRIP AWAY™ DISCS

Strip Away™ discs are made from a tough synthetic fibre impregnated with abrasive grit. They are a safer alternative to wire brush tools. These unique discs provide fast material removal action on paint, rust and mill scale with virtually no heat build up. The open coat design quickly cleans surfaces without damage. Available in General Purpose-Black, Ultra-Blue, Supreme-Purple, and Premier-Orange. The Premier-Orange is made with ceramic grain for fast cutting where a more aggressive product is needed.

## TYPE 1



## TYPE 27



GP BLACK DISCS      ULTRA BLUE DISCS      SUPREME PURPLE DISCS      PREMIERE ORANGE CERAMIC DISCS  
GENERAL PURPOSE CUTTING ACTION      FAST CUTTING ACTION (RIGID)      EXTRA FAST CUTTING ACTION      EXTRA FAST CUTTING & LONG LIFE

## TYPE R



ROLL-ON LOCKING STYLE

## SPINDLE MOUNT



1/4" SINGLE MOUNT      1/4" DOUBLE MOUNT

# STRIP AWAY™ DISCS

- Ceramic and silicon carbide grain provides fast cutting action **ON ALL METALS**
- Clean bonding system promotes a safer, healthier working environment
- Can be used on wet or dry surfaces
- Works well on all metals as well as plastic, fiberglass, stone, granite and terrazzo



## TYPE 1

SIZE	RPM	THICKNESS	ARBOR	BOX QTY.	CASE QTY.	BLACK	BLUE	PURPLE	ORANGE
3"	8,500	1/2"	1/4" hole	10	10	53021	55021	56021	59021
4"	9,000	1/2"	1/4" hole	5	5	53023	55023	56023	59023
4.5"	5,500	1/2"	1/4" hole	5	5	53024	55024	56024	59024
5"	5,000	1/2"	1/4" hole	5	5	53025	55025	56025	59025
3"	8,500	1/2"	1/2" hole	10	10	53031	55031	56031	59031
4"	9,000	1/2"	1/2" hole	5	5	53033	55033	56033	59033
4.5"	5,500	1/2"	1/2" hole	5	5	53034	55034	56034	59034
5"	5,000	1/2"	1/2" hole	5	5	53035	55035	56035	59035
6"	4,500	1/2"	1/2" hole	5	5	53036	55036	56036	59036
7"	3,300	1/2"	1/2" hole	5	5	53037	55037	56037	59037
8"	3,000	1/2"	1/2" hole	5	5	53038	55038	56038	59038
3"	8,500	1/2"	5/8" hole	10	10	53041	55041	56041	59041
4"	9,000	1/2"	5/8" hole	5	5	53043	55043	56043	59043
4.5"	5,500	1/2"	5/8" hole	5	5	53044	55044	56044	59044
5"	5,000	1/2"	5/8" hole	5	5	53045	55045	56045	59045
6"	4,500	1/2"	5/8" hole	5	5	53046	55046	56046	59046
7"	3,300	1/2"	5/8" hole	5	5	53047	55047	56047	59047
8"	3,000	1/2"	5/8" hole	5	5	53048	55048	56048	59048
4.5"	5,500	1/2"	7/8" hole	5	5	53054	55054	56054	59054
5"	5,000	1/2"	7/8" hole	5	5	53055	55055	56055	59055
6"	4,500	1/2"	7/8" hole	5	5	53056	55056	56056	59056
7"	3,300	1/2"	7/8" hole	5	5	53057	55057	56057	59057
8"	3,000	1/2"	7/8" hole	5	5	53058	55058	56058	59058

# STRIP AWAY™ DISCS

## TYPE 27



GP BLACK DISCS      ULTRA BLUE DISCS      SUPREME PURPLE DISCS      PREMIERE ORANGE CERAMIC DISCS  
 GENERAL PURPOSE CUTTING ACTION      FAST CUTTING ACTION (RIGID)      EXTRA FAST CUTTING ACTION      EXTRA FAST CUTTING & LONG LIFE


TYPE 27 DEPRESSED CENTER <b>FIBERGLASS BACK</b>								
SIZE	RPM	THICKNESS	BOX QTY.	CASE QTY.	BLACK	BLUE	PURPLE	ORANGE
4" x 5/8"-11"	15,500	1/2"	5	5	53063	55063	56063	59063
4.5" x 7/8"	13,300	1/2"	5	5	53064	55064	56064	59064
5" x 7/8"	12,000	1/2"	5	5	53065	55065	56065	59065
6" x 7/8"	10,200	1/2"	5	5	53066	55066	56066	59066
7" x 7/8"	8,600	1/2"	5	5	53067	55067	56067	59067

**LEGEND**  
 TO ORDER A 4-1/2", 5", 6" OR 7" WITH A 5/8"-11 ZINC HUB ON FIBERGLASS BACKING, ADD AN "H" TO END OF PART NUMBER

TYPE 27 DEPRESSED CENTER <b>PLASTIC BACK</b>								
SIZE	RPM	THICKNESS	BOX QTY.	CASE QTY.	BLACK	BLUE	PURPLE	ORANGE
4.5" x 7/8"	13,300	1/2"	5	5	53864	55864	56864	59864
4.5" x 5/8"-11	13,300	1/2"	5	5	53864T	55864T	56864T	59864T
5" x 7/8"	12,000	1/2"	5	5	53865	55865	56865	59865
5" x 5/8"-11	12,000	1/2"	5	5	53865T	55865T	56865T	59865T

**LEGEND**  
 T = 5/8"-11 BUILT IN THREAD

## TYPE R



## TYPE R ROLL-ON LOCKING STYLE

SIZE	RPM	THICKNESS	BOX QTY.	CASE QTY.	BLACK	BLUE	PURPLE	ORANGE
2"	18,000	1/2"	10	10	53209	55209	56209	59209
3"	15,000	1/2"	10	10	53211	55211	56211	59211
4"	12,000	1/2"	10	10	53213	55213	56213	59213

# 1/4" SPINDLE MOUNT STRIP AWAY™ DISCS

## SINGLE MOUNT

GP BLACK DISCS



ULTRA BLUE DISCS



SUPREME PURPLE DISCS



PREMIER ORANGE CERAMIC



## DOUBLE MOUNT

GP BLACK DISCS



ULTRA BLUE DISCS



SUPREME PURPLE DISCS



PREMIER ORANGE CERAMIC



### GP BLACK

SIZE	MAX RMP	THICKNESS	SPINDLE	P/N	SIZE	MAX RMP	THICKNESS	SPINDLE	P/N
3"	6,600	1/2"	1/4"	53111	3"	6,600	1"	1/4"	53101
4"	5,000	1/2"	1/4"	53113	4"	5,000	1"	1/4"	53103
5"	3,900	1/2"	1/4"	53115	5"	3,900	1"	1/4"	53105

### ULTRA BLUE

3"	6,600	1/2"	1/4"	55111	3"	6,600	1"	1/4"	55101
4"	5,000	1/2"	1/4"	55113	4"	5,000	1"	1/4"	55103
5"	3,900	1/2"	1/4"	55115	5"	3,900	1"	1/4"	55105

### SUPREME PURPLE

3"	6,600	1/2"	1/4"	56111	3"	6,600	1"	1/4"	56101
4"	5,000	1/2"	1/4"	56113	4"	5,000	1"	1/4"	56103
5"	3,900	1/2"	1/4"	56115	5"	3,900	1"	1/4"	56105

### PREMIER ORANGE CERAMIC

3"	6,600	1/2"	1/4"	59111	3"	6,600	1"	1/4"	59101
4"	5,000	1/2"	1/4"	59113	4"	5,000	1"	1/4"	59103
5"	3,900	1/2"	1/4"	59115	5"	3,900	1"	1/4"	59105

**BOX QUANTITY=10 CASE QTY=10**

## TRIM-KUT™ DISCS

Gemtex™ is the exclusive manufacturer in the world for Trim-Kut™ discs. Trim-Kut™ is a revolutionary abrasive disc designed to grind and finish a wide variety of materials faster and cooler than any other abrasive disc available today. The patented process of fusing premium aluminum oxide, zirconia, ceramic or silicon carbide grain to a durable polymer backing results in a highly versatile grinding tool that requires no backing pad and is readily trimmable to either renew the cutting surface or reduce the diameter. Trim-Kut™ discs are available in 3", 4 1/2" and 5" for use on a drill, die grinder and right-angle grinder. When the outside edge is loaded or worn to the point where it is not grinding effectively, trim it off.

- Vibration Free Balance
- Tough-Super polymer Backing
- Lightweight Safe Design
- Revolutionary Trim Down Feature
- Cool Running Action
- Unique Flexibility





## TRIM-KUT™ DISCS

**PMD Supreme Discs** are manufactured with a patented formula which includes 100% SG Ceramic Grain with top coat which provides long lasting life on stainless steel and all high tensile alloys. The discs allow maximum grinding performance at reduced costs.



**PMD Discs** are made with a combination of Ceramic/Aluminum Oxide grain with a top coat developed as an economical alternative to a pure ceramic disc for use on stainless steel and other high tensile alloys. It provides higher cut rates and cooler grinding temperatures due to a custom blended grinding aid.



100% SG Ceramic (PREMIUM)

Size	Grit	P/N
<b>3"</b>	24	30930200
	36	30930300
	50	30930400
	60	30930500
	80	30930600
	120	30930800
4-1/2" x 7/8" DEPRESSED CENTER	24	30945200
	36	30945300
	50	30945400
	60	30945500
	80	30945600
	120	30945800
<b>5"</b>	24	30950200
	36	30950300
	50	30950400
	60	30950500
	80	30950600
	120	30950800

Ceramic/Aluminum Oxide (GENERAL PURPOSE)

Size	Grit	P/N
<b>3"</b>	24	24830200
	36	24830300
	50	24830400
	60	24830500
	80	24830600
	120	24830700
4-1/2" x 7/8" DEPRESSED CENTER	24	24845200
	36	24845300
	50	24845400
	60	24845500
	80	24845600
	120	24845800
<b>5"</b>	24	24850200
	36	24850300
	50	24850400
	60	24850500
	80	24850600
	120	24850800



• Trim down feature reduces diameter of disc exposing a new grinding surface at operating R.P.M.

TRIM-KUT™ DISC



MANDREL

Each package of 25 (3" diameter discs) includes:  
 • 1/4" Hex Mandrel (90000021)  
 Each package of 25 (5" diameter discs) includes:  
 • 5/8"-11 Mandrel (90000003)

## TRIMKUT™ DISCS

**Zee Supreme** provides ultimate grinding performance on stainless steel and cost effectiveness when used in high production applications. The Zee Supreme formula of **100% Zirconia with top coat**, utilizes an extremely hard zirconia abrasive alloy which sharpens itself in use, delivering outstanding cutting rates and maximizing lifespan. The advanced bond minimizes grain shedding, while promoting a cool grinding action.

**ZEE Type General Purpose Zirconia Discs** are the most cost-effective choice when grinding stainless and other high tensile alloys. The disc provides ultimate cost effectiveness when used in high production applications. With only a 5% higher cost than aluminum oxide, it provides 25%-30% higher performance.



### 100% Zirconia (PREMIUM)

Size	Grit	P/N	
<b>3"</b>	24	30330200	
	36	30330300	
	<b>RPM</b> 21,000	50	30330400
	<b>BOX QTY</b> 25	60	30330500
	<b>CASE QTY</b> 100	80	30330600
		100	30330700
		120	30330800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	30345200	
	36	30345300	
	<b>RPM</b> 13,000	50	30345400
	<b>BOX QTY</b> 25	60	30345500
	<b>CASE QTY</b> 100	80	30345600
		100	30345700
		120	30345800
<b>5"</b>	24	30350200	
	36	30350300	
	<b>RPM</b> 13,000	50	30350400
	<b>BOX QTY</b> 25	60	30350500
	<b>CASE QTY</b> 100	80	30350600
		100	30350700
		120	30350800

### Zirconia (GENERAL PURPOSE)

Size	Grit	P/N	
<b>3"</b>	24	24530200	
	36	24530300	
	<b>RPM</b> 21,000	50	24530400
	<b>BOX QTY</b> 25	60	24530500
	<b>CASE QTY</b> 100	80	24530600
		100	24530700
		120	24530800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	24545200	
	36	24545300	
	<b>RPM</b> 13,000	50	24545400
	<b>BOX QTY</b> 25	60	24545500
	<b>CASE QTY</b> 100	80	24545600
		100	24545700
		120	24545800
<b>5"</b>	24	24550200	
	36	24550300	
	<b>RPM</b> 13,000	50	24550400
	<b>BOX QTY</b> 25	60	24550500
	<b>CASE QTY</b> 100	80	24550600
		100	24550700
		120	24550800

Each package of 25 (3" diameter discs) includes:  
 • 1/4" Hex Mandrel (90000021)  
 Each package of 25 (5" diameter discs) includes  
 • 5/8"-11 Mandrel (90000003)

**TRIMKUT™ DISCS**

**GEM Supreme Discs** are formulated with a patented blend of Ceramic / Zirconia grain which makes the disc ideal for a wide range of grinding and finishing applications on **all metals**. These discs cut more aggressively than zirconia with a lower cost than a pure ceramic disc.

**SMD Discs: Aluminum Oxide Soft Metal Discs** are designed for use on soft metals like bronze, brass and aluminum. These discs disperse their own lubrication as the disc grinds, delaying heat build up of the metal work piece. Lower work surface temperature means melting is delayed, allowing the disc to cut and last longer than regular discs. The protected disc acts as an open coat, shedding any buildup of debris.

- Reduces disc waste and costly change over time
- Low pressure required for optimum performance.



Ceramic /Zirconia (PREMIUM)

Size	Grit	P/N	
<b>3"</b>	24	30630200	
	36	30630300	
	RPM 21,000	50	30630400
	BOX QTY 25	60	30630500
	CASE QTY 100	80	30630600
		100	30630700
		120	30630800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	30645200	
	36	30645300	
	RPM 13,000	50	30645400
	BOX QTY 25	60	30645500
	CASE QTY 100	80	30645600
		100	30645700
		120	30645800
<b>5"</b>	24	30650200	
	36	30650300	
	RPM 13,000	50	30650400
	BOX QTY 25	60	30650500
	CASE QTY 100	80	30650600
		100	30650700
		120	30650800

Aluminum Oxide (with no-load coating)  
(PREMIUM)

Size	Grit	P/N	
<b>3"</b>	24	24630200	
	36	24630300	
	RPM 21,000	50	24630400
	BOX QTY 25	60	24630500
	CASE QTY 100	80	24630600
		100	24630700
		120	24630800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	24645200	
	36	24645300	
	RPM 13,000	50	24655400
	BOX QTY 25	60	24645500
	CASE QTY 100	80	24645600
		100	24645700
		120	24645800
<b>5"</b>	24	24650200	
	36	24650300	
	RPM 13,000	50	24650400
	BOX QTY 25	60	24650500
	CASE QTY 100	80	24650600
		100	24650700
		120	24650800

Each package of 25 (3" diameter discs) includes:  
• 1/4" Hex Mandrel (90000021)  
Each package of 25 (5" diameter discs) includes  
• 5/8"-11 Mandrel (90000003)

## TRIMKUT™ DISCS

**Aluminum Oxide "A" Type Discs** provide superior grinding performance in a **Premium Aluminum Oxide** resin fibre disc. A blend of advanced abrasive grain and bonding agents deliver superior cutting rates and longer useful life.

"A" Type has been designed to excel when used in high stock removal applications where cool cutting action is required.

**Silicon Carbide discs** are designed for fiberglass, plastic, stone, terrazzo, granite and non-ferrous metal grinding applications.

• **Premium Silicon Carbide**, with its sharp grain characteristics, provides fast cutting action on all grinding and sanding applications without loading.



**A/O**  
TYPE A



**S/C**  
TYPE

Aluminum Oxide (with no-load coating)  
**(PREMIUM)**

Silicon Carbide **(PREMIUM)**

Size	Grit	P/N
<b>3"</b>	24	24130200
	36	24130300
	50	24130400
	60	24130500
	80	24130600
	100	24130700
	120	24130800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	24145200
	36	24145300
	50	24145400
	60	24145500
	80	24145600
	100	24145700
	120	24145800
<b>5"</b>	24	24150200
	36	24150300
	50	24150400
	60	24150500
	80	24150600
	100	24150700
	120	24150800

Size	Grit	P/N
<b>3"</b>	24	24330200
	36	24330300
	50	24330400
	60	24330500
	80	24330600
	100	24330700
	120	24330800
<b>4-1/2" x 7/8"</b> DEPRESSED CENTER	24	24345200
	36	24345300
	50	24345400
	60	24345500
	80	24345600
	100	24345700
	120	24345800
<b>5"</b>	24	24350200
	36	24350300
	50	24350400
	60	24350500
	80	24350600
	100	24350700
	120	24350800

Each package of 25 (3" diameter discs) includes:  
• 1/4" Hex Mandrel (90000021)  
Each package of 25 (5" diameter discs) includes  
• 5/8"-11 Mandrel (90000003)

**TRIM-KUT™ SURFACE CONDITIONING DISCS**



TRIM-KUT™  
4 1/2" x 7/8" DEPRESSED CENTER



TRIM-KUT™  
3" & 5" DIAMETER  
(MULTIPLE MANDREL SIZES AVAILABLE)

**TRIM-KUT™ BRITEPREP™  
SURFACE CONDITIONING DISCS**



Size	Disc Type	P/N
3"	Extra Coarse HD - Brown*	24130813
	Extra Coarse - Brown	24130810
	Coarse - Gold	24130850
	Medium HD - Maroon*	24130913
	Medium - Maroon	24130900
	Very Fine - Blue	24130920
	Ultra Fine - Grey	24130950
4-1/2"	Extra Coarse HD - Brown*	24145813
	Extra Coarse - Brown	24145810
	Coarse - Gold	24145850
	Medium HD - Maroon*	24145913
	Medium - Maroon	24145900
	Very Fine - Blue	24145920
	Ultra Fine - Grey	24145950
5"	Extra Coarse HD - Brown*	24150813
	Extra Coarse - Brown	24150810
	Coarse - Gold	24150850
	Medium HD - Maroon*	24150913
	Medium - Maroon	24150900
	Very Fine - Blue	24150920
	Ultra Fine - Grey	24150950



**TRIM-KUT™**

Size	Description	Box Qty.	Case Qty.	P/N	Size	Description	Box Qty.	Case Qty.	P/N
MANDRELS	1/4" Round	1	10	90000020	MANDRELS	M10 - 1.25	1	10	90000006
	1/4" Hex Premium	1	10	90000021		M10 - 1.5	1	10	90000007
	3/8" - 24	1	10	90000000		M14 - 2.00	1	10	90000008
	7/16" - 20	1	10	90000001		1/2" - 13 UNC	1	10	90000005
	9/16" - 12	1	10	90000002		5/16" - 24F	1	10	90000004
	5/8" - 11	1	10	90000003		LOCKING NUT	5/8"-11 Centre Locking Nut / Short Barrel	1	10

## CUTFLEX™ GRINDING AND CUTOFF WHEELS

These cutting and grinding ceramic blend wheels are designed and manufactured to provide excellent performance at a competitive price.

- For use on all metals, including stainless steel.
- Contaminate Free.



**Cutoff Wheels**  
Type 1 Small Diameter



**Cutting & Grinding Wheels**  
Type 27



**Thin Cutoff Wheels**  
Type1-Type 27

**Thin Cutoff Wheels**  
Type1-Type 27



**MANDREL ADAPTER**

## CUTFLEX™ GRINDING AND CUTOFF WHEELS



### CUTFLEX™ GRINDING AND CUTOFF WHEELS

DIAMETER	RPM	DESCRIPTION	TYPE	BOX QTY	UNIT	P/N
2"	30,000	Cut-Off Wheel 2" x 1/32" x 1/4"	Type 1	50	Each	61000
2"	30,000	Cut-Off Wheel 2" x 1/32" x 3/8"	Type 1	50	Each	61010
3"	19,100	Cut-Off Wheel 3" x 1/32" x 1/4"	Type 1	50	Each	61020
3"	19,100	Cut-Off Wheel 3" x 1/32" x 3/8"	Type 1	50	Each	61030
3"	19,100	Cut-Off Wheel 3" x 1/16" x 1/4"	Type 1	50	Each	61032
3"	19,100	Cut-Off Wheel 3" x 1/16" x 3/8"	Type 1	50	Each	61035
3"	19,100	Cut-Off Wheel 3" x 1/8" x 1/4"	Type 1	50	Each	61034
3"	19,100	Cut-Off Wheel 3" x 1/8" x 3/8"	Type 1	50	Each	61036
3"	19,100	Cut-Off Wheel 3" x 3/16" x 3/8"	Type 1	50	Each	61040
4-1/2"	13,300	Cutting and Grinding Wheel 4-1/2" x 1/8" x 7/8"	Type 27	25	Each	62000
4-1/2"	13,300	Cutting and Grinding Wheel 4-1/2" x 1/8" x 5/8"-11	Type 27	10	Each	62002
5"	12,250	Cutting and Grinding Wheel 5" x 1/8" x 7/8"	Type 27	25	Each	62100
5"	12,250	Cutting and Grinding Wheel 5" x 1/8" x 5/8"-11	Type 27	10	Each	62102
4-1/2"	13,300	Grinding Wheel 4-1/2" x 1/4" x 7/8"	Type 27	25	Each	63000
4-1/2"	13,300	Grinding Wheel 4-1/2" x 1/4" x 5/8"-11	Type 27	10	Each	63002
5"	12,250	Grinding Wheel 5" x 1/4" x 7/8"	Type 27	25	Each	63100
5"	12,250	Grinding Wheel 5" x 1/4" x 5/8"-11	Type 27	10	Each	63102
6"	10,200	Grinding Wheel 6" x 1/4" x 7/8"	Type 27	25	Each	63200
6"	10,200	Grinding Wheel 6" x 1/4" x 5/8"-11	Type 27	10	Each	63202
4-1/2"	13,300	High Speed Cut-Off Wheel 4-1/2" x .045" x 7/8"	Type 1	50	Each	64000
4-1/2"	13,300	High Speed Cut-Off Wheel 4-1/2" x .045" x 7/8"	Type 27	50	Each	64100
5"	12,250	High Speed Cut-Off Wheel 5" x .045" x 7/8"	Type 1	50	Each	65000
5"	12,250	High Speed Cut-Off Wheel 5" x .045" x 7/8"	Type 27	50	Each	65100
6"	10,200	High Speed Cut-Off Wheel 6" x .045" x 7/8"	Type 1	50	Each	66000
6"	10,200	High Speed Cut-Off Wheel 6" x .045" x 7/8"	Type 27	50	Each	66100

**MANDREL ADAPTER SET-INCLUDES** • ONE 1/4" SCREW WITH ONE MANDREL BODY  
• ONE 3/8" SCREW WITH ONE MANDREL BODY

Wheel Diameter	Fits Hole Sizes	Wheel Thickness	Shank Dia.	P/N
2" and 3"	1/4" and 3/8"	Up to 1/4"	1/4"	90000090

## CUTFLEX™ FILE SANDING BELTS

Gemtex™ CutFlex™ file sanding belts are an excellent choice for weld removal, finishing and deburring applications involving hard to reach areas with limited access. Our wide range of ceramic, zirconia, aluminum oxide and surface conditioning narrow belts allow the end user to accomplish a broad number of applications on a wide variety of materials.



**Ceramic with Top Coat**

**Zirconia**

**Aluminum Oxide**

**Brite prep SURFACE CONDITIONING**

**COURSE**  
— MEDIUM  
— FINE

**3/4" Width**

**1/2" Width**

**3/8" Width**

**GRITS 36-120**

**Size Range:**

- 3/8" x 13"
- 1/2" x 12"
- 1/2" x 18"
- 1/2" x 24"
- 3/4" x 18"
- 3/4" x 20 1/2"

**APPLICATIONS:**

- light to medium weld removal
- shaping
- blending and contouring
- surface preparation
- surface improvement and finishing **on all metals.**



## CUTFLEX™ FILE SANDING BELTS

### Ceramic

Y WEIGHT POLYESTER BACKING

SIZE	PART NUMBER	GRIT
<b>3/8x13</b>	32723836	36
	32723840	40
	32723860	60
	32723880	80
	32723810	100
	32723812	120
<b>BOX QTY</b> 25		
<b>1/2x12</b>	32721136	36
	32721140	40
	32721160	60
	32721180	80
	33721110	100
	32721112	120
<b>BOX QTY</b> 25		
<b>1/2x18</b>	32721236	36
	32721240	40
	32721260	60
	32721280	80
	32721210	100
	32721212	120
<b>BOX QTY</b> 25		

### Ceramic (CONTINUED)

SIZE	PART NUMBER	GRIT
<b>1/2x24</b>	32723236	36
	32723240	40
	32723260	60
	32723280	80
	32723210	100
	32723212	120
<b>BOX QTY</b> 25		
<b>3/4x18</b>	32722436	36
	32722440	40
	32722460	60
	32722480	80
	32722410	100
	32722412	120
<b>BOX QTY</b> 25		
<b>3/4x20-1/2</b>	32723436	36
	32723440	40
	32723460	60
	32723480	80
	32723410	100
	32723412	120
<b>BOX QTY</b> 25		

### Zirconia

X WEIGHT POLYESTER BACKING

SIZE	PART NUMBER	GRIT
<b>3/8x13</b>	32523836	36
	32523840	40
	32523860	60
	32523880	80
	32523810	100
	32523812	120
<b>BOX QTY</b> 25		
<b>1/2x12</b>	32521136	36
	32521140	40
	32521160	60
	32511180	80
	32521110	100
	32521112	120
<b>BOX QTY</b> 25		
<b>1/2x18</b>	32521236	36
	32521240	40
	32521260	60
	32521280	80
	32521210	100
	32521212	120
<b>BOX QTY</b> 25		

### Zirconia (CONTINUED)

SIZE	PART NUMBER	GRIT
<b>1/2x24</b>	32523236	36
	32523240	40
	32523260	60
	32523280	80
	32523210	100
	32523212	120
<b>BOX QTY</b> 25		
<b>3/4x18</b>	32522436	36
	32522440	40
	32522460	60
	32522480	80
	32522410	100
	32522412	120
<b>BOX QTY</b> 25		
<b>3/4x20-1/2</b>	32523436	36
	32523440	40
	32523460	60
	32523480	80
	32523410	100
	32523412	120
<b>BOX QTY</b> 25		



## CUTFLEX™ FILE SANDING BELTS

### Aluminum Oxide

X WEIGHT POLY/COTTON BACKING

SIZE	PART NUMBER	GRIT
<b>3/8x13</b>	32123836	36
	32123840	40
	32123860	60
	32123880	80
	32123810	100
	32123812	120
<b>1/2x12</b>	32121136	36
	32121140	40
	32121160	60
	32121180	80
	32121110	100
	32121112	120
<b>1/2x18</b>	32121236	36
	32121240	40
	32121260	60
	32121280	80
	32121210	100
	32121212	120

### Aluminum Oxide (CONTINUED)

SIZE	PART NUMBER	GRIT
<b>1/2x24</b>	32123236	36
	32123240	40
	32123260	60
	32123280	80
	32123210	100
	32123212	120
<b>3/4x18</b>	32122436	36
	32122440	40
	32122460	60
	32122480	80
	32122410	100
	32122412	120
<b>3/4x20-1/2</b>	32123436	36
	32123440	40
	32123460	60
	32123480	80
	32123410	100
	32123412	120

### SURFACE CONDITIONING

SIZE	PART NUMBER	GRIT
<b>3/8x13</b>	25380853	Coarse
	25380903	Med
	25380923	Fine
<b>1/2x12</b>	25390853	Coarse
	25390903	Med
	25390923	Fine
<b>1/2x18</b>	25400853	Coarse
	25400903	Med
	25400923	Fine
<b>1/2x24</b>	25410853	Coarse
	25410903	Med
	25410923	Fine
<b>3/4x18</b>	25430853	Coarse
	25430903	Med
	25430923	Fine
<b>3/4x20-1/2</b>	25440853	Coarse
	25440903	Med
	25440923	Fine



## CZ45™ GRIND & FINISH DISC


### REVOLUTIONARY ALTERNATIVE TO GRINDING WHEELS

### CUTS 3X FASTER THAN CONVENTIONAL RESIN BONDED GRINDING WHEELS

**2 IN 1:** GRIND & FINISH WITH ONE DISC

FAST, AGGRESSIVE GRINDING ACTION **ON ALL METALS** WITH FINISHING CAPABILITIES OF A SANDING DISC

- CZ45 FORMULA: UNIQUE BLEND OF SG CERAMIC & ZIRCONIA GRAIN
- DESIGNED FOR LIGHT AND HEAVY PRESSURE GRINDING **ON ALL METALS**
- ERGONOMIC VIBRATION FREE PERFORMANCE
- TOUGH SUPER POLYMER BACKING
- LIGHTWEIGHT SAFE DESIGN
- COOL RUNNING ACTION
- UNIQUE FLEXIBILITY
- SAFE HIGH SPEED GRINDING ACTION
- NO BACKUP PAD NECESSARY
- PROVIDES OPTIMAL VALUE WITH LESS DOWN TIME
- MINIMAL DUST EMISSIONS



# CZ45™

## GRIND & FINISH DISC

Description	Box Qty.	Case Qty.	P/N
4-1/2" CZ45™ Grind and Finish Disc <b>RPM</b> <b>13,300</b>	25	100	<b>40645200</b>
	10	20	<b>40645210</b>
	5	20	<b>40645205</b>
	1	20	<b>40645201</b>
*OPTIONAL: 5/8"-11 Center Locking Nut for 4-1/2" CZ45 / Short Barrel	1	10	<b>90000065</b>



- THE CZ45 IS DESIGNED FOR RIGHT ANGLE GRINDERS & CAN BE MOUNTED WITH STANDARD LOCKING NUT
- 13,300 RPM RATED



90000065

**\*OPTIONAL**  
5/8"-11  
SHORT BARREL  
CENTER LOCKING NUT

## CUTFLEX™ ALUMINUM OXIDE SPINDLE MOUNT FLAP WHEELS

CLOTH FLAPS CONFORM EVENLY TO WORK SURFACE CONTOURS RESULTING IN FASTER STOCK REMOVAL & BETTER FINISHES

- 1/4" SPINDLE MOUNT
- EASY TO USE & HIGHLY EFFICIENT
- DEBURRING
- FINISHING
- POLISHING
- CLEANING



### ALUMINUM OXIDE

SIZE	PART NUMBER	GRIT
3/4" x 3/4"	26115215	40
	26115315	60
	26115415	80
	26115515	120
	26115715	180
	26115815	240
	26115915	320
1" x 5/8"	26115216	40
	26115316	60
	26115416	80
	26115516	120
	26115716	180
	26115816	240
	26115916	320
1" x 1"	26120220	40
	26120320	60
	26120420	80
	26120520	120
	26120720	180
	26120820	240
	26120920	320
1-1/2" x 1/2"	26120210	40
	26120310	60
	25125410	80
	26125510	120
	26125710	180
	26120810	240
	26120910	320

SIZE	PART NUMBER	GRIT
1-1/2" x 1"	26125220	40
	26125320	60
	26125420	80
	25125520	120
	26125720	180
	26125820	240
	26125920	320
2" x 1/2"	26130210	40
	26130310	60
	26130410	80
	26130510	120
	26130710	180
	26130810	240
	26130910	320
2" x 3/4"	26130212	40
	26130312	60
	26130412	80
	26130512	120
	26130712	180
	26130812	240
	26130912	320
2" x 1"	26130220	40
	26130320	60
	26130420	80
	26130520	120
	26130720	180
	26130820	240
	26130920	320

## CUTFLEX™ ALUMINUM OXIDE SPINDLE MOUNT FLAP WHEELS

CLOTH FLAPS CONFORM EVENLY TO WORK SURFACE CONTOURS RESULTING IN FASTER STOCK REMOVAL & BETTER FINISHES

- 1/4" SPINDLE MOUNT
- EASY TO USE & HIGHLY EFFICIENT
- DEBURRING
- FINISHING
- POLISHING
- CLEANING



### ALUMINUM OXIDE

SIZE	PART NUMBER	GRIT
2" x 1-1/2"	26130222	40
	26130322	60
	26130422	80
	26130522	120
	26130722	180
	26130822	240
	26130922	320
2" x 2"	26130223	40
	26130323	60
	26130423	80
	26130523	120
	26130723	180
	26130823	240
	26130923	320
2-1/2" x 1"	26132220	40
	26132320	60
	26132420	80
	26132520	120
	26132720	180
	26132820	240
	26132920	320
2-1/2" x 1- 1/2"	26132224	40
	26132324	60
	26132424	80
	26132524	120
	26132724	180
	26132824	240
	26132924	320

### (CONTINUED)

SIZE	PART NUMBER	GRIT
3" x 1/2"	26135210	40
	26135310	60
	26135410	80
	26135510	120
	26135710	180
	26135810	240
	26135910	320
3" x 1"	26135220	40
	26135320	60
	26135420	80
	26135520	120
	26135720	180
	26135820	240
	26135920	320
3" x 1- 1/2"	26135226	40
	26135326	60
	26135426	80
	26135526	120
	26135726	180
	26135826	240
	26135926	320
3" x 2"	26135230	40
	26135330	60
	26135430	80
	26135530	120
	26135730	180
	26135830	240
	26135930	320

## CUTFLEX™ SANDSCREEN



**Sandscreen Plumbers Roll**

**Sandscreen Jumbo Roll**



**Sandscreen Cut Sheets**



**Sandscreen Drywall Sheets**

Type/Grit	60	80	100	120	150	180	220	320
<b>Plumbers Roll</b> 1-1/2" x 25 yds.		43145		45039		45050		
<b>Cut Sheets</b> 9" x 11"	41108	41081	41100	41120	41150	41181		
<b>Drywall Sheets</b> 4-3/8" x 11"		40080	40100	40120	40150	40180	40220	
<b>Drywall Sheets</b> 3-5/16" x 11"		39080	39100	39120	39150	39180	39220	
<b>Jumbo Roll</b> 36" x 100 yds.	43084	43085	43086	43087	43088	43089	43090	43093

CASE QUANTITIES: PLUMBERS ROLL-1 CUT SHEETS-25 DRYWALL SHEETS-50 JUMBO ROLL-1



**Sandscreen Floor Sanding Disc**

Type/Grit	60	80	100	120	150	180	220
<b>Floor Sanding Disc</b> 15" Diameter, Case Qty. 10	42089	42098	41991	41992	41993	41994	41995
<b>Floor Sanding Disc</b> 16" Diameter, Case Qty. 10	42090	42099	42003	42004	42055	42000	42046
<b>Floor Sanding Disc</b> 17" Diameter, Case Qty. 10	42091	42100	42044	43179	41133	41134	42043
<b>Floor Sanding Disc</b> 18" Diameter, Case Qty. 10	42092	42143	42006	42104	42023	42183	42039
<b>Floor Sanding Disc</b> 19" Diameter, Case Qty. 10	42093	42144	42045	42011	42007	42184	42193
<b>Floor Sanding Disc</b> 20" Diameter, Case Qty. 10	42094	42145	42012	42066	42199	42185	42194

## BACKUP PADS & ACCESSORIES

### BACKUP PADS



**SPIRALCOOL™  
(RUBBER)**

**POLY AIR-COOL  
(PLASTIC)**

**SPANNER  
WRENCH**

SPIRALCOOL™ AND POLY AIR-COOL BACKING PADS ARE STOCKED WITH A 5/8" - 11 THREADED HUB

### SPIRALCOOL™ & POLY AIR-COOL

Size	RPM	Box Qty.	Case	P/N
4" x 5/8" SPIRALCOOL Backup pad-Medium	12,000	1	1	70040000
4-1/2" x 5/8"-11 SPIRALCOOL Backup pad-Medium	10,000	1	1	70045000
5" x 5/8"-11 SPIRALCOOL Backup pad-Medium	8,500	1	1	70050000
7" x 5/8"-11 SPIRALCOOL Backup pad-Medium	7,000	1	1	70070000
Poly Air-Cool 4" x 5/8" Backup Pad	15,000	1	1	70040009
Poly Air-Cool 4.5" x 5/8"-11 Backup Pad	13,000	1	1	70045009
Poly Air-Cool 5" x 5/8"-11 Backup Pad	11,900	1	1	70050019
Poly Air-Cool 7" x 5/8"-11 Backup Pad	8,600	1	1	70070006
<b>Spanner Wrench</b>				<b>90000045</b>

### TRIM-KUT MANDRELS & LOCKING NUT



#### TRIM-KUT

Size	Description	Box Qty.	Case Qty.	P/N	Size	Description	Box Qty.	Case Qty.	P/N
<b>MANDRELS</b>	1/4" Round	1	10	90000020	<b>MANDRELS</b>	M10 - 1.25	1	10	90000006
	1/4" Hex Premium	1	10	90000021		M10 - 1.5	1	10	90000007
	3/8" - 24	1	10	90000000		M14 - 2.00	1	10	90000008
	7/16" - 20	1	10	90000001		1/2" - 13 UNC	1	10	90000005
	9/16" - 12	1	10	90000002		5/16" - 24F	1	10	90000004
	5/8" - 11	1	10	90000003		5/8"-11 Centre Locking Nut / Short Barrel	1	10	90000065
					<b>LOCKING NUT</b>				

### RAPID CHANGE HOLDERS TYPE R ROLL-ON STYLE

Size	Box Qty.	Case Qty.	P/N
1-1/2"	1	10	70015001
2"	1	10	70020003
3"	1	10	70030001
4"	1	10	70040011

### RAPID CHANGE HOLDERS TYPE S SCREW-ON STYLE

Size	Box Qty.	Case Qty.	P/N
1-1/2"	1	10	70015003
2"	1	10	70020004
3"	1	10	70030002
4"	1	10	70040013



### MANDREL SMALL DIAMETER CUTOFF WHEELS

Wheel Diameter	Fits Hole Sizes	Wheel Thickness	Shank Dia.	P/N
2" and 3"	1/4" and 3/8"	Up to 1/4"	1/4"	90000090




### CENTER LOCKING NUTS

Size	Description	Box Qty.	Case Qty.	P/N
<b>CENTER LOCKING NUTS</b>	10 mm x .125 Fine (4 - hole)	1	10	90000031
	10 mm x 1.5 coarse	1	10	90000032
	14 mm x 2.0 (2 - hole)	1	10	90000036
	5/8" - 11 2 - hole / Long Barrel	1	10	90000037

## GEMTEX™ PRIVATE LABEL PROGRAM

THE GEMTEX-TEAM WILL DESIGN LABELS WITH YOUR CORPORATE LOGO AND BRANDING IDENTIFICATION. OUR PRIVATE LABEL PACKAGING CAN ACCOMODATE ANY PRODUCT SPECIFICATION AND ORDER QUANTITY.

**PRODUCT LABELS    BOX LABELS    SHRINK WRAP    CLAMSHELL    CARDED**

<p><b>PRODUCT LABELS</b></p>	<p>TRIM-KUT™   <b>FLAP DISCS</b></p>
<p><b>BOX LABELS</b></p>	<p> </p>
<p><b>SHRINK WRAP</b></p>	<p></p>
<p><b>CLAMSHELL</b></p>	<p> </p>
<p><b>CARDED</b></p>	<p>   </p>





# ADVANTAGE

## GEMTEX™ ADVANTAGE

These products are unique to Gemtex™ Abrasives and available nowhere else.

They represent the Gemtex™ Advantage. Founded in 1975, we have long been a stable, professionally managed and forward-thinking organization. Partnering with Gemtex™ means you can trust us to manufacture and supply reliable products for your applications, but also trust us in finding the right way to meet your unique abrasives needs.



### CZ45™ Grinding Discs

Revolutionary Alternative to Grinding Wheels

2 in 1: Grind and finish with one disc.

Fast, aggressive grinding action **ON ALL METALS**

- Unique blend of SG Ceramic and Zirconia grain
- Provides faster weld removal than grinding wheels
- Designed for light to heavy pressure grinding requirements **ON ALL METALS.**
- Ergonomic Vibration Free Performance
- Tough Super Copolymer Backing
- Lightweight Safe Design
- Cool Running Action
- Unique Flexibility
- Safe High Speed Grinding Action
- No Backup Pad Needed
- Minimal dust emissions
- Provides optimum value with less down time



Mini Grind R™ uses a Type R plastic roll on lock design as its base. Grain is fused directly to a tough polymer backing. Not paper, not cloth, not even fibre, but plastic. This one piece design prevents the risk of detaching from the holder, while the polymer promotes cool efficient grinding. Mini Grind R™ Discs out perform conventional 2 and 3 ply cloth discs. All Gemtex™ Mini Grind R™ discs are powerful, versatile, flexible, safe, and economical. They are designed for use with a holder of the same size and lock system.



### TRIM-KUT™

Trim-Kut™ is a revolutionary abrasive disc designed to grind and finish a wide variety of materials faster and cooler than any other abrasive disc available today. Trim-Kut™ is readily trimmable by reducing the disc diameter and renewing the cutting surface. The patented process of fusing premium abrasive grains to a durable polymer backing results in a highly versatile grinding tool that requires no backing pad. These durable discs can be used for grinding or sanding. When the outside edge is loaded to the point where it is not grinding effectively, trim it off.

### QUICKLOCK™ SPINNER™ DISC

#### COATED ABRASIVE DISCS

##### TYPE S METAL SCREW-ON LOCKING STYLE

This new attachment option can be applied to any resin fibre or surface conditioning disc with a 7/8" arbor. The 5/8"-11 Type "S" threaded lock, on the backside of the disc, provides the operator with the ability to do flat grinding which eliminates the possibility of scratching the work piece. The 5/8"-11 threaded lock allows the disc to spin on and off the spindle, without a locking nut or wrench.

#### NONWOVEN DISCS

##### SURFACE CONDITIONING MATERIAL

Our high performance products are manufactured from a tight non-woven fibre web with a woven backing and impregnated with a specially processed mineral grain. They are ideal for deburring, blending coarse abrasive scratches, removing rust, corrosion, oxides, paint, adhesives and gaskets. They provide a fast initial cut and high rate of productivity. They are tough and long lasting. These discs are also available with Hook & Loop fastening systems.





# APPLICATIONS CHART

<b>Products &amp; MATERIAL</b> <b>Applications</b>	Stainless Steel, Titanium, & Super Alloys	Mild Carbon Steel, Ferrous Metals, & Cast Iron	Brass, Bronze, Aluminum & (non-ferrous metals)	Wood & Sheetrock (Drywall)	Concrete, Stone, Granite, Marble, & Ceramic Tile	Fiberglass & Composites	Hardwood Flooring & Concrete Flooring	Rust Removal, Paint Removal, Mild Scale Removal, Paint Prep, Fine Deburring
<b>Flap Discs (PREMIUM)</b> (GENERALPURPOSE)	PAGES 2-9	PAGES 2-9	PAGES 2-9					
<b>Aluminum Oxide (PREMIUM)</b> (GENERALPURPOSE)		PAGES 14,20,23,27 42,48,50,51	PAGES 14,20,23,27 42,48,50,51	PAGES 14,20,23,27 42,48,50,51				
<b>GEM Supreme CERAMIC/ZIRCONIA (PREMIUM)</b>	PAGES 13, 19, 27, 41	PAGES 13, 19, 27, 41						
<b>PMD CERAMIC (GENERALPURPOSE)</b>	PAGES 11, 17, 25, 39	PAGES 11, 17, 25, 39						
<b>PMD Supreme CERAMIC (PREMIUM)</b>	PAGES 11, 17, 25, 39							
<b>Silicon Carbide (PREMIUM)</b>					PAGES 15, 20, 27, 42	PAGES 15, 20, 27, 42		
<b>SMD (Soft Metal Disc) (PREMIUM)</b>			PAGES 13, 19, 27, 41			PAGES 15, 19, 27, 41		
<b>BritePrep™ Strip Away (PREMIUM)</b>								PAGES 34-37
<b>Non-Woven Hand Pads SCUFF DISCS</b>	PAGE 33	PAGE 33	PAGE 33					PAGES 33
<b>Zirconia (GENERAL PURPOSE)</b>	PAGES 3,4,8,9,12 18,23,26,40,47	PAGES 3,4,8,9,12 18,23,26,40,47						
<b>ZEE Supreme 100% ZIRCONIA (PREMIUM)</b>	PAGES 12,18, 26, 40	PAGES 12,18, 26, 40						
<b>Surface Conditioning</b>	PAGES 29-32,43,48	PAGES 29-32,43,48	PAGES 29-32,43,48					PAGES 29-32,43,48
<b>Sandscreen</b>				PAGES 52			PAGES 52	
<b>Floor Maintenance Products</b>							PAGES 52	
<b>Flap Wheels (GENERAL PURPOSE)</b>	PAGES 50 & 51	PAGES 50 & 51	PAGES 50 & 51					PAGES 50 & 51
<b>Belts (PREMIUM)</b>	PAGES 46,47, 48	PAGES 46,47, 48	PAGES 46,47, 48					PAGES 46,47, 48
<b>Cutoff &amp; Grinding Wheels (GENERAL PURPOSE)</b>	PAGE 45	PAGE 45	PAGE 45			PAGE 45		
<b>CZ45</b>	PAGE 49	PAGE 49	PAGE 49			PAGE 49		










# NUMERIC INDEX

822760080	5	832750080T	6	932750060	7
822760120	5	832750120T	6	932750080	7
822760036H	5	842745036	6	932750120	7
822760040H	5	842745040	6	932750036T	7
822760060H	5	842745060	6	932750040T	7
822760080H	5	842745080	6	932750060T	7
822760120H	5	842745120	6	932750080T	7
822770036	5	842745036T	6	932750120T	7
822770040	5	842745040T	6	932950036T	7
822770060	5	842745060T	6	932950040T	7
822770080	5	842745080T	6	932950060T	7
822770120	5	842745120T	6	932950080T	7
822770036H	5	842750036	6	932950120T	7
822770040H	5	842750040	6		
822770060H	5	842750060	6		
822770080H	5	842750080	6		
822770120H	5	842750120	6		
822945036	5	842750036	6		
822945040	5	842750040	6		
822945060	5	842750060	6		
822945080	5	842750080	6		
822945120	5	842750120	6		
822945036H	5	842750036T	6		
822945040H	5	842750040T	6		
822945060H	5	842750060T	6		
822945080H	5	842750080T	6		
822945120H	5	842750120T	6		
822950036	5	912745036	7		
822950040	5	912745040	7		
822950060	5	912745060	7		
822950080	5	912745080	7		
822950120	5	912745120	7		
822950036H	5	912745036H	7		
822950040H	5	912745040H	7		
822950060H	5	912745060H	7		
822950080H	5	912745080H	7		
822950120H	5	912745120H	7		
822960036	5	912750036	7		
822960040	5	912750040	7		
822960060	5	912750060	7		
822960080	5	912750080	7		
822960120H	5	912750120	7		
822960036H	5	912750036H	7		
822960040H	5	912750040H	7		
822960060H	5	912750060H	7		
822960080H	5	912750080H	7		
822960120H	5	912750120H	7		
822970036	5	912945036	7		
822970040	5	912945040	7		
822970060	5	912945060	7		
822970080	5	912945080	7		
822970120H	5	912945120H	7		
822970036H	5	912945036H	7		
822970040H	5	912945040H	7		
822970060H	5	912945060H	7		
822970080H	5	912945080H	7		
822970120H	5	912945120H	7		
832745036	6	912950036	7		
832745040	6	912950040	7		
832745060	6	912950060	7		
832745080	6	912950080	7		
832745120	6	912950120	7		
832745036T	6	912950036T	7		
832745040T	6	912950040T	7		
832745060T	6	912950060T	7		
832745080T	6	912950080T	7		
832745120T	6	912950120T	7		
832750036	6	932745036	7		
832750040	6	932745040	7		
832750060	6	932745060	7		
832750080	6	932745080	7		
832750120	6	932745120	7		
832750036T	6	932745036T	7		
832750040T	6	932745040T	7		
832750060T	6	932745060T	7		
832750080T	6	932745080T	7		
832750120T	6	932745120T	7		
832750036	6	932750036	7		
832750060T	6	932750060	7		



NOT JUST A SOURCE, A RESOURCE®

## MANUFACTURING FACILITIES





**ESTABLISHED 1975**

**234 BELFIELD ROAD  
TORONTO, ONTARIO  
M9W 1H3 CANADA**

**WWW.GEMTEXABRASIVES.COM  
INFO@GEMTEXABRASIVES.COM  
GEMTEX ABRASIVES CANADA@LINKEDIN  
TOLL FREE: 1-800-387-5100  
LOCAL PHONE: 1-416-245-5605  
FAX: 866-263-7936**



**© Gemtex Abrasives 2021. All Rights Reserved.**

Gemtex, Gemtex Abrasives, FlapTec, GemFlex, PMD, ZEE, GEM, Mini Grind R, Brite Prep, Strip Away, Trim-Kut, CutFlex, CZ45, Quicklock Spinner, and the tagline "Not Just a Source, a Resource" are all trademarks of 2340258 Ontario Inc. d/b/a Gemtex Abrasives.